1999 AUTHOR INDEX

ABANTO, Marina: A Pilot Study for Monitoring Changes in the Microbiological Component of Metalworking Fluids as a Function of Time and Use in the System, 480

AHLBERG-HULTÉAN, Gunnel: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

AHRENS, Wolfgang: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

AKBAR-KHANZADEH, Farhang: Incident Trends for a Hazardous Waste Cleanup Company, 666

ALWIS, Udeni: Dust Exposures in the Wood Processing Industry, 641

ANDERSEN, Aage: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

ARMSTRONG, Thomas J.: The Effects of Keyswitch Stiffness on Typing Force, Finger Electromyography, and Subjective Discomfort, 762

ASCHERL, Frederick M.: Issues Concerning the Measurement of Borate in Occupational Environments, 651

ASHLEY, Candi D.: A Comparison of Physiological Responses to Two Types of Particle Barrier, Vapor Permeable Clothing Ensembles, 495

AUBERTIN, G.: Evaluation of the Emission Rate from a Gaseous Source: Development of a Method Using a Helium Tracer, 354

AXTEN, C.W.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

BAKER, Warren: Dust Exposures in the Wood Processing Industry, 641

BARKER, Donald W.: Thermal Characteristics of Clothing Ensembles for Use in Heat Stress Analysis, 32

BARREGÅRD, Lars: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 713

BARRON, Wendy: Experimental Deposition of Environmental Tobacco Smoke Submicrometer Particulate Matter in the Human Respiratory Tract, 334

BAUER, Karin M.: The Use of Composite Dust Wipe Samples as a Means of Assessing Lead Exposure, 326

BECKMAN, Richard J.: In-Place Filter Testing Geometry Effects on Test Result Uncertainty: Single Stage Systems, 300

BELLAMY, Garland: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

BENJAMIN, M. Benhur: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

BERNARD, Thomas E.: Thermal Characteristics of Clothing Ensembles for Use in Heat Stress Analysis, 32, Heat Stress and Strain in an Aluminum Smelter, 659

BERODE, M.: Biological Monitoring of Tetrahydrofuran: Contribution of a Physiologically Based Pharmacokinetic Model, 243

BÉGIN, Raymond: Mineralogy of Lung Tissue in Dental Laboratory Technicians' Pneumoconiosis, 349

BISHOP, P.A.: Fluid Replacement Preferences in Heat-Exposed Workers, 747

BISHOP, P.A.: Prediction of Rectal Temperature by the Questemp II Personal Heat Strain Monitor Under Low and Moderate Heat Stress, 801

BISHOP, Phillip A.: A Comparison of Physiological Responses to Two Types of Particle Barrier, Vapor Permeable Clothing Ensembles, 495

BISHOP, Phillip A.: Effects of a Novel Ice-Cooling Technique on Work in Protective Clothing at 28°C, 23°C, and 18°C WBGTs, 96

BLAIR, Aaron: Exposure Received from Application of Animal Insecticides, 208

BLOOM, Thomas F.: Evaluation of Exposures to Fluorocarbon 113 in a Horizontal and a Vertical Laminar Airflow Clean Room, 486

BÉMER, D.: Evaluation of the Emission Rate from a Gaseous Source: Development of a Method Using a Helium Tracer, 354

BOFFETTA, Paolo: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

BOHGARD, Mats: Collection Efficiency for Submicron Particles of a Commonly Used Impinger, 540

BOOTH, Derrick W., Sr.: Comparison of Pitot Traverses Taken at Varying Distances Downstream of Obstructions, 165

BOUNDY, Maryanne: Oil Mist Concentration: A Comparison of Sampling Methods, 684

BRANDT, H.C.A.: A Laboratory Rig for Studying Aspects of Worker Exposure to Bitumen Fumes, 182

BREYSSE, Patrick N.: Comparison of NIOSH Method 7400 A and B Counting Rules for Assessing Synthetic Vitreous Fiber Exposures, 526

BREYSSE, Patrick N.: Comparison of Personal Exposure Meter Placement for the Determination of Office Worker ELF Magnetic Field Exposures, 647

BROCHU, Gilles: Airborne Microflora in Quebec Dairy Farms: Lack of Effect of Bacterial Hay Preservatives, 89

BROUWER, Dick: Exposure to Fungicides in Fruit Growing: Re-Entry Time as a Predictor for Dermal Exposure, 789

BURASTERO, Stephen: Workplace Use of an Adjustable Keyboard: Adjustment Preferences and Effect on Wrist Posture, 340

BURGE, Harriet A.: Variabilities in Aerosolizing Activities and Airborne Fungal Concentrations in a Bakery, 317

BURSTYN, Igor: Studying the Determinants of Exposure: A Review of Methods, 57

BYERS, C.D.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

CAMP, Janice: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

CAMP, Janice: An Assessment of Occupational Noise Exposures in Four Construction Trades, 807

CAMPBELL, Donald L.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part III—Validation, 363

CAMPBELL, Donald L.: Simulated Workplace Performance of N95 Respirators, 618

CARETTI, David M.: Respirator Fit Factor Performance while Sweating, 84

CARETTI, David M.: Cognitive Performance and Mood During Respirator Wear and Exercise, 213

CARTER, C.M.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

CASCIARDI, Stefano: Electromagnetic Radiation from VDT Units: Study of the Effectiveness of an Active Shielding Device, 111

CHASE, G.R.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

CHEN, Chih-Chieh: Laboratory Performance Comparison of Respirable Samplers, 601

CHEN, Chih-Chieh: Shift of Aerosol Penetration in Respirable Cyclone Samplers, 720

CHEN, Jion-Rong: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

CHEN, Mei-Lien: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

CHENG, Chuan-Hua: Variabilities in Aerosolizing Activities and Airborne Fungal Concentrations in a Bakery, 317

CHRISTIANI, David C.: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

CLAPP, A.J.: Fluid Replacement Preferences in Heat-Exposed Workers, 747

CLAPP, A.J.: Prediction of Rectal Temperature by the Questemp II Personal Heat Strain Monitor Under Low and Moderate Heat Stress, 801

COFFEY, Christopher C.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part III—Validation, 363

COFFEY, Christopher C.: Simulated Workplace Performance of N95 Respirators, 618

CONGLETON, J.J.: Microwave Emissions from Police Radar, 770

CORMIER, Yvon: Airborne Microflora in Quebec Dairy Farms: Lack of Effect of Bacterial Hay Preservatives, 89

COX, D.C.: Lead-Based Paint Testing Technologies: Summary of an EPA/HUD Field Study, 444

COYNE, Karen M.: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

CRANDALL, Jeff R.: A Protocol System for Testing Biohazardous Materials in an Impact Biomechanics Research Facility, 629

CUTLER, Theresa L.: Comparison of Personal Exposure Meter Placement for the Determination of Office Worker ELF Magnetic Field Exposures, 647

D'ARCY, James B.: Evaluation of Leakage from a Metal Machining Center Using Tracer Gas Methods: A Case Study, 785

DAVIDSON, Jane: Evaluation of Activated Carbon Filters for Removal of Ozone at the PPB Level, 589

DE COCK, Johan: Exposure to Fungicides in Fruit Growing: Re-Entry Time as a Predictor for Dermal Exposure, 789

DE GROOT, P.C.: A Laboratory Rig for Studying Aspects of Worker Exposure to Bitumen Fumes, 182

DECKER, John A.: Exposures to Lead-Based Paint Dust in an Inner-City High School, 191

DES TOMBE, Karen: Measurement of Benzene in the Workplace and Its Evolution Process, Part I: Overview, History, and Past Methods, 38

1999 AUTHOR INDEX

ABANTO, Marina: A Pilot Study for Monitoring Changes in the Microbiological Component of Metalworking Fluids as a Function of Time and Use in the System, 480

AHLBERG-HULTÉAN, Gunnel: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

AHRENS, Wolfgang: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

AKBAR-KHANZADEH, Farhang: Incident Trends for a Hazardous Waste Cleanup Company, 666

ALWIS, Udeni: Dust Exposures in the Wood Processing Industry, 641

ANDERSEN, Aage: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

ARMSTRONG, Thomas J.: The Effects of Keyswitch Stiffness on Typing Force, Finger Electromyography, and Subjective Discomfort, 762

ASCHERL, Frederick M.: Issues Concerning the Measurement of Borate in Occupational Environments, 651

ASHLEY, Candi D.: A Comparison of Physiological Responses to Two Types of Particle Barrier, Vapor Permeable Clothing Ensembles, 495

AUBERTIN, G.: Evaluation of the Emission Rate from a Gaseous Source: Development of a Method Using a Helium Tracer, 354

AXTEN, C.W.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

BAKER, Warren: Dust Exposures in the Wood Processing Industry, 641

BARKER, Donald W.: Thermal Characteristics of Clothing Ensembles for Use in Heat Stress Analysis, 32

BARREGÅRD, Lars: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 713

BARRON, Wendy: Experimental Deposition of Environmental Tobacco Smoke Submicrometer Particulate Matter in the Human Respiratory Tract, 334

BAUER, Karin M.: The Use of Composite Dust Wipe Samples as a Means of Assessing Lead Exposure, 326

BECKMAN, Richard J.: In-Place Filter Testing Geometry Effects on Test Result Uncertainty: Single Stage Systems, 300

BELLAMY, Garland: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

BENJAMIN, M. Benhur: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

BERNARD, Thomas E.: Thermal Characteristics of Clothing Ensembles for Use in Heat Stress Analysis, 32, Heat Stress and Strain in an Aluminum Smelter, 659

BERODE, M.: Biological Monitoring of Tetrahydrofuran: Contribution of a Physiologically Based Pharmacokinetic Model, 243

BÉGIN, Raymond: Mineralogy of Lung Tissue in Dental Laboratory Technicians' Pneumoconiosis, 349

BISHOP, P.A.: Fluid Replacement Preferences in Heat-Exposed Workers, 747

BISHOP, P.A.: Prediction of Rectal Temperature by the Questemp II Personal Heat Strain Monitor Under Low and Moderate Heat Stress, 801

BISHOP, Phillip A.: A Comparison of Physiological Responses to Two Types of Particle Barrier, Vapor Permeable Clothing Ensembles, 495

BISHOP, Phillip A.: Effects of a Novel Ice-Cooling Technique on Work in Protective Clothing at 28°C, 23°C, and 18°C WBGTs, 96

BLAIR, Aaron: Exposure Received from Application of Animal Insecticides, 208

BLOOM, Thomas F.: Evaluation of Exposures to Fluorocarbon 113 in a Horizontal and a Vertical Laminar Airflow Clean Room, 486

BÉMER, D.: Evaluation of the Emission Rate from a Gaseous Source: Development of a Method Using a Helium Tracer, 354

BOFFETTA, Paolo: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

BOHGARD, Mats: Collection Efficiency for Submicron Particles of a Commonly Used Impinger, 540

BOOTH, Derrick W., Sr.: Comparison of Pitot Traverses Taken at Varying Distances Downstream of Obstructions, 165

BOUNDY, Maryanne: Oil Mist Concentration: A Comparison of Sampling Methods, 684

BRANDT, H.C.A.: A Laboratory Rig for Studying Aspects of Worker Exposure to Bitumen Fumes, 182

BREYSSE, Patrick N.: Comparison of NIOSH Method 7400 A and B Counting Rules for Assessing Synthetic Vitreous Fiber Exposures, 526

BREYSSE, Patrick N.: Comparison of Personal Exposure Meter Placement for the Determination of Office Worker ELF Magnetic Field Exposures, 647

BROCHU, Gilles: Airborne Microflora in Quebec Dairy Farms: Lack of Effect of Bacterial Hay Preservatives, 89

BROUWER, Dick: Exposure to Fungicides in Fruit Growing: Re-Entry Time as a Predictor for Dermal Exposure, 789

BURASTERO, Stephen: Workplace Use of an Adjustable Keyboard: Adjustment Preferences and Effect on Wrist Posture, 340

BURGE, Harriet A.: Variabilities in Aerosolizing Activities and Airborne Fungal Concentrations in a Bakery, 317

BURSTYN, Igor: Studying the Determinants of Exposure: A Review of Methods, 57

BYERS, C.D.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

CAMP, Janice: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

CAMP, Janice: An Assessment of Occupational Noise Exposures in Four Construction Trades, 807

CAMPBELL, Donald L.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part III—Validation, 363

CAMPBELL, Donald L.: Simulated Workplace Performance of N95 Respirators, 618

CARETTI, David M.: Respirator Fit Factor Performance while Sweating, 84

CARETTI, David M.: Cognitive Performance and Mood During Respirator Wear and Exercise, 213

CARTER, C.M.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

CASCIARDI, Stefano: Electromagnetic Radiation from VDT Units: Study of the Effectiveness of an Active Shielding Device, 111

CHASE, G.R.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

CHEN, Chih-Chieh: Laboratory Performance Comparison of Respirable Samplers, 601

CHEN, Chih-Chieh: Shift of Aerosol Penetration in Respirable Cyclone Samplers, 720

CHEN, Jion-Rong: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

CHEN, Mei-Lien: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

CHENG, Chuan-Hua: Variabilities in Aerosolizing Activities and Airborne Fungal Concentrations in a Bakery, 317

CHRISTIANI, David C.: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

CLAPP, A.J.: Fluid Replacement Preferences in Heat-Exposed Workers, 747

CLAPP, A.J.: Prediction of Rectal Temperature by the Questemp II Personal Heat Strain Monitor Under Low and Moderate Heat Stress, 801

COFFEY, Christopher C.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part III—Validation, 363

COFFEY, Christopher C.: Simulated Workplace Performance of N95 Respirators, 618

CONGLETON, J.J.: Microwave Emissions from Police Radar, 770

CORMIER, Yvon: Airborne Microflora in Quebec Dairy Farms: Lack of Effect of Bacterial Hay Preservatives, 89

COX, D.C.: Lead-Based Paint Testing Technologies: Summary of an EPA/HUD Field Study, 444

COYNE, Karen M.: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

CRANDALL, Jeff R.: A Protocol System for Testing Biohazardous Materials in an Impact Biomechanics Research Facility, 629

CUTLER, Theresa L.: Comparison of Personal Exposure Meter Placement for the Determination of Office Worker ELF Magnetic Field Exposures, 647

D'ARCY, James B.: Evaluation of Leakage from a Metal Machining Center Using Tracer Gas Methods: A Case Study, 785

DAVIDSON, Jane: Evaluation of Activated Carbon Filters for Removal of Ozone at the PPB Level, 589

DE COCK, Johan: Exposure to Fungicides in Fruit Growing: Re-Entry Time as a Predictor for Dermal Exposure, 789

DE GROOT, P.C.: A Laboratory Rig for Studying Aspects of Worker Exposure to Bitumen Fumes, 182

DECKER, John A.: Exposures to Lead-Based Paint Dust in an Inner-City High School, 191

DES TOMBE, Karen: Measurement of Benzene in the Workplace and Its Evolution Process, Part I: Overview, History, and Past Methods, 38

1999 Author Index

DES TOMBE, Karen: Measurement of Benzene in the Workplace and Its Evolution Process, Part II: Present Methods and Future Trends, 48

DESSAGNE, J.M.: Evaluation of the Emission Rate from a Gaseous Source: Development of a Method Using a Helium Tracer, 354

DEWALT, F.G.: Lead-Based Paint Testing Technologies: Summary of an EPA/HUD Field Study, 444

DIERDORF, D.S.: Simulated Blood Levels of CF_3I in Personnel Exposed During Its Release from an F-15 Jet Engine Nacelle and During Intentional Inhalation, 403

DONG, Lilly: Systemic Uptake and Clearance of Chloroform by Hairless Rats Following Dermal Exposure: II. Absorption of the Neat Solvent, 438

DROZ, P.O.: Biological Monitoring of Tetrahydrofuran: Contribution of a Physiologically Based Pharmacokinetic Model, 243

DUCHAINE, Caroline: Airborne Microflora in Quebec Dairy Farms: Lack of Effect of Bacterial Hay Preservatives, 89

DUFRESNE, André: Mineralogy of Lung Tissue in Dental Laboratory Technicians' Pneumoconiosis, 349

DUFRESNE, André: Evaluation of Exposure to Methyl Methacrylate Among Dental Laboratory Technicians, 625

DUMA, Stefan M.: A Protocol System for Testing Biohazardous Materials in an Impact Biomechanics Research Facility, 629

DUMYAHN, Thomas: Characterization of Ultraviolet Upper Room Air Disinfection Devices, 219

EARNEST, Gary S.: Evaluation of Leakage from a Metal Machining Center Using Tracer Gas Methods: A Case Study, 785

EGELAND, Grace M.: Evaluation of Exposures to Fluorocarbon 113 in a Horizontal and a Vertical Laminar Airflow Clean Room, 486

ELLER, Peter M.: Proficiency Analytical Testing (PAT) Silica Variability, 1990–1998, 533

ESCHE, Curtis A.: Proficiency Analytical Testing (PAT) Silica Variability, 1990–1998, 533

ESMEN, N.A.: An Investigation of Secondary Exposure Misclassification Effects of Lifelong Occupational History in Exposure Estimation, 175

FEARS, Thomas: Exposure Received from Application of Animal Insecticides, 208

FEIR, Dorothy: Investigation of Bites and Itching in a Word Processing Department, 310

FENG, H. Amy: Proficiency Analytical Testing (PAT) Silica Variability, 1990–1998, 533

FENSKE, Richard: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

FINCHAM, Shirley: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

FINDLAY, Robert H.: A Pilot Study for Monitoring Changes in the Microbiological Component of Metalworking Fluids as a Function of Time and Use in the System, 480

FINK, J.M.: Microwave Emissions from Police Radar, 770

FINKELSTEIN, Murray: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

FIRST, Melvin: Characterization of Ultraviolet Upper Room Air Disinfection Devices, 219

FLYNN, Gordon L.: Uptake of Chloroform by Skin on Brief Exposures to the Neat Liquid, 5

FLYNN, Gordon L.: Systemic Uptake and Clearance of Chloroform by Hairless Rats Following Dermal Exposure: II. Absorption of the Neat Solvent, 438

FRANZBLAU, Alfred: The Effects of Keyswitch Stiffness on Typing Force, Finger Electromyography, and Subjective Discomfort, 762

FRIEDERICH, Nancy J.: The Use of Composite Dust Wipe Samples as a Means of Assessing Lead Exposure, 326

GARDNER, Paul D.: Respirator Fit Factor Performance while Sweating, 84

GAUSE, C.K.: An Investigation of Secondary Exposure Misclassification Effects of Lifelong Occupational History in Exposure Estimation, 175

GERARD, Michael J.: The Effects of Keyswitch Stiffness on Typing Force, Finger Electromyography, and Subjective Discomfort, 762

GILBERT, Kathy: Variabilities in Aerosolizing Activities and Airborne Fungal Concentrations in a Bakery, 317

GILIBERTI, Claudia: Electromagnetic Radiation from VDT Units: Study of the Effectiveness of an Active Shielding Device, 111

GOGGINS, William B.: An Ergonomic Analysis of Premixing and Compounding Processes in an Animal Health Plant, 390

GOODWIN, G.M.: Exposures from Thorium Contained in Thoriated Tungsten Welding Electrodes, 384

GRAY, Chris N.: Structure and Validation of a Pharmacokinetic Model for Benzene, 249

GREEN, J.M.: Prediction of Rectal Temperature by the Questemp II Personal Heat Strain Monitor Under Low and Moderate Heat Stress, 801

GROFF, Jensen H.: Proficiency Analytical Testing (PAT) Silica Variability, 1990–1998, 533

GRZYBOWSKI, Piotr: Collection Efficiency for Submicron Particles of a Commonly Used Impinger, 540

GU, D.L.: Prediction of Rectal Temperature by the Questemp II Personal Heat Strain Monitor Under Low and Moderate Heat Stress, 801

GUFFEY, Steven E.: Comparison of Pitot Traverses Taken at Varying Distances Downstream of Obstructions, 165

GUFFEY, Steven E.: Experimental Investigation of Power Loss Coefficients and Static Pressure Ratios in an Industrial Exhaust Ventilation System, 367

GULA, M.J.: An Investigation of Secondary Exposure Misclassification Effects of Lifelong Occupational History in Exposure Estimation, 175

HALL, T.A.: An Investigation of Secondary Exposure Misclassification Effects of Lifelong Occupational History in Exposure Estimation, 175

HAMMANN, S.J.: Simulated Blood Levels of CF_3I in Personnel Exposed During Its Release from an F-15 Jet Engine Nacelle and During Intentional Inhalation, 403

HANDS, David: Oil Mist Concentration: A Comparison of Sampling Methods, 684

HARPER, G.: Simulated Blood Levels of CF_3I in Personnel Exposed During Its Release from an F-15 Jet Engine Nacelle and During Intentional Inhalation, 403

HARVIE, Sharon: Mineralogy of Lung Tissue in Dental Laboratory Technicians' Pneumoconiosis, 349

HAUGEN, M.M.: Lead-Based Paint Testing Technologies: Summary of an EPA/HUD Field Study, 444

HEEDERIK, Dick: Exposure to Fungicides in Fruit Growing: Re-Entry Time as a Predictor for Dermal Exposure, 789

HEITBRINK, William A.: Evaluation of Leakage from a Metal Machining Center Using Tracer Gas Methods: A Case Study, 785

HENNEBERGER, Paul: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

HINDS, William C.: In-Place Filter Testing Geometry Effects on Test Result Uncertainty: Single Stage Systems, 300

HITCHINS, Jane: Experimental Deposition of Environmental Tobacco Smoke Submicrometer Particulate Matter in the Human Respiratory Tract, 334

HJELM, Ewa Wigaeus: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

HO, Chi-Kung: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

HOCKING, Ailsa D.: Dust Exposures in the Wood Processing Industry, 641

HOLDERMAN, Todd S.: The Use of Composite Dust Wipe Samples as a Means of Assessing Lead Exposure, 326

HÄRENSTAM, Annika: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

HUANG, Sheng-Hsiu: Shift of Aerosol Penetration in Respirable Cyclone Samplers, 720

HWANG, Jing-Shiang: Laboratory Performance Comparison of Respirable Samplers, 601

ISLAM, Mohammad S.: Uptake of Chloroform by Skin on Brief Exposures to the Neat Liquid, 5

ISLAM, Mohammad S.: Systemic Uptake and Clearance of Chloroform by Hairless Rats Following Dermal Exposure: II. Absorption of the Neat Solvent, 438

JANG, J.Y.: Biological Monitoring of Tetrahydrofuran: Contribution of a Physiologically Based Pharmacokinetic Model, 243

JANICAK, Christopher A.: Compliance with OSHA's Respiratory Protection Standard in Hospitals, 228

JANKOVIC, J.T.: Exposures from Thorium Contained in Thoriated Tungsten Welding Electrodes, 384

JEPSON, G.W.: Simulated Blood Levels of CF_3I in Personnel Exposed During Its Release from an F-15 Jet Engine Nacelle and During Intentional Inhalation, 403

JOHNSON, Arthur T.: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

JOHNSON, Eugene R.: Feasibility of Sampling Vapors of Compounds with Low Volatility by Permeation, 195

JOHNSON, Monique M.: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

JONSSON, Per: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 713

JOSEPHSON, Malin: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

KALMAN, Dave: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

KANCHANARAKSA, Sukon: Comparison of Personal Exposure Meter Placement for the Determination of Office Worker ELF Magnetic Field Exposures, 647

KAUPPINEN, Timo: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

KAWAR, Khaldoun H.: Effect of Relative Humidity on the Adsorption of Selected Water-Miscible Organic Vapors by Activated Carbon, 730

KEY-SCHWARTZ, Rosa J.: An Approach to Area Sampling and Analysis for Total Isocyanates in Workplace Air, 200

KEY-SCHWARTZ, Rosa J.: Proficiency Analytical Testing (PAT) Silica Variability, 1990–1998, 533

KEYSERLING, W. Monroe: Ergonomic Considerations in Trucking Delivery Operations: An Evaluation of Hand Trucks and Ramps, 22

KIEFER, Max: Exposures to Lead-Based Paint Dust in an Inner-City High School, 191

KINI, Shashi: Thermal Characteristics of Clothing Ensembles for Use in Heat Stress Analysis, 32

KODA, Shigeki: Passive Sampling and Head Space Analysis for Quantitative Determination of Nitrous Oxide Exposure, 458

KOENIG, A.R.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

KOGEVINAS, Manolis: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

KORHONEN, Kari: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

KOYAK, R.A.: Lead-Based Paint Testing Technologies: Summary of an EPA/HUD Field Study, 444

KRISHNAN, Usha: Compliance with OSHA's Respiratory Protection Standard in Hospitals, 228

KROMHOUT, Hans: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 713

KROSS, Burton C.: Exposure Received from Application of Animal Insecticides, 208

KUMAGAI, Shinji: Within-Shift Variability of Short-Term Exposure to Organic Solvent in Indoor Workplaces, 16

KUMAGAI, Shinji: Passive Sampling and Head Space Analysis for Quantitative Determination of Nitrous Oxide Exposure, 458

LAI, Chane-Yu: Laboratory Performance Comparison of Respirable Samplers, 601

LAUSTED, Christopher G.: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

LEE, I-Chwen: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

LEE, John: Dust Exposures in the Wood Processing Industry, 641

LEE, Poshin: Evaluation of Activated Carbon Filters for Removal of Ozone at the PPB Level, 589

LEES, Peter S.J.: Comparison of NIOSH Method 7400 A and B Counting Rules for Assessing Synthetic Vitreous Fiber Exposures, 526

LEHOCKY, Alexander H.: Evaluation and Field Calibration of the Miniram PDM-3 Aerosol Monitor for Measuring Respirable and Total Coal Dust, 502

LEITH, David: Oil Mist Concentration: A Comparison of Sampling Methods, 684

LEVY, Jonathan I.: Variabilities in Aerosolizing Activities and Airborne Fungal Concentrations in a Bakery, 317

LEWIS, Roger D.: Investigation of Bites and Itching in a Word Processing Department, 310

LI, Shou-Nan: Weighing Accuracy of Samples Collected by IOM and CIS Inhalable Samplers, 235

LISS, Gary: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

LIUKKONNEN, Tuula: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

LODEWYCKX, P.: Influence of Humidity on Adsorption Capacity from the Wheeler-Jonas Model for Prediction of Breakthrough Times of Water Immiscible Organic Vapors on Activated Carbon Beds, 612

LOGAN, Perry W.: Heat Stress and Strain in an Aluminum Smelter, 659

LONON, Miriam K.: A Pilot Study for Monitoring Changes in the Microbiological Component of Metalworking Fluids as a Function of Time and Use in the System, 480

LOUWERSE, Eduard: Exposure to Fungicides in Fruit Growing: Re-Entry Time as a Predictor for Dermal Exposure, 789

LU, Chihwei: An Ergonomic Analysis of Premixing and Compounding Processes in an Animal Health Plant, 390

LUNDGREN, Dale A.: Weighing Accuracy of Samples Collected by IOM and CIS Inhalable Samplers, 235

MACINTOSH, David L.: Employee Exposure to Diesel Exhaust in the Electric Utility Industry, 635

MAHAR, Seán: Worker Exposures to Particulates, Endotoxins, and Bioaerosols in Two Refuse-Derived Fuel Plants, 679

MALKIN, Robert: Exposures to Lead-Based Paint Dust in an Inner-City High School, 191

MANDRYK, John: Dust Exposures in the Wood Processing Industry, 641

MAO, I-Fang: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

MARKLIN, Richard W.: Four Assessment Tools of Ergonomics Interventions: Case Study at an Electric Utility's Warehouse System, 777

MARSH, G.M.: An Investigation of Secondary Exposure Misclassification Effects of Lifelong Occupational History in Exposure Estimation, 175

MARTIN, Bernard J.: The Effects of Keyswitch Stiffness on Typing Force, Finger Electromyography, and Subjective Discomfort, 762

MARTINEZ, Victor A.: In-Place Filter Testing Geometry Effects on Test Result Uncertainty: Single Stage Systems, 300

MASON, Howard: Biological Monitoring: The Role of Toxicokinetics and Physiologically Based Pharmacokinetic Modeling, 237

MATSUNAGA, Ichiro: Within-Shift Variability of Short-Term Exposure to Organic Solvent in Indoor Workplaces, 16

MAYHEW, Trevor: Dust Exposures in the Wood Processing Industry, 641

MCDOUGAL, James N.: Uptake of Chloroform by Skin on Brief Exposures to the Neat Liquid, 5

MCDOUGAL, James N.: Systemic Uptake and Clearance of Chloroform by Hairless Rats Following Dermal Exposure: II. Absorption of the Neat Solvent, 438

MEAD, Kenneth R.: Evaluation of Leakage from a Metal Machining Center Using Tracer Gas Methods: A Case Study, 785

MICKELSEN, R. Leroy: Evaluation of Leakage from a Metal Machining Center Using Tracer Gas Methods: A Case Study, 785

MIDDENDORF, Paul J.: Evaluation and Field Calibration of the Miniram PDM-3 Aerosol Monitor for Measuring Respirable and Total Coal Dust, 502

MILES, William J.: Issues and Controversy: The Measurement of Crystalline Silica; Review Papers on Analytical Methods, 396

MOKLER, Brian V.: In-Place Filter Testing Geometry Effects on Test Result Uncertainty: Single Stage Systems, 300

MOLETI, Arturo: Electromagnetic Radiation from VDT Units: Study of the Effectiveness of an Active Shielding Device, 111

MONROE, Kimberly A.: Ergonomic Considerations in Trucking Delivery Operations: An Evaluation of Hand Trucks and Ramps, 22

MORAWSKA, Lidia: Experimental Deposition of Environmental Tobacco Smoke Submicrometer Particulate Matter in the Human Respiratory Tract, 334

MORGAN, William P.: Prediction of Respiratory Distress During Maximal Physical Exercise: The Role of Trait Anxiety, 512

MÉRIAUX, Anne: Airborne Microflora in Quebec Dairy Farms: Lack of Effect of Bacterial Hay Preservatives, 89

MUIR, Ian H.: Effects of a Novel Ice-Cooling Technique on Work in Protective Clothing at 28°C, 23°C, and 18°C WBGTs, 96

MUSIC-Norrtälje Study Group: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

MYERS, Warren R.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part III—Validation, 363

NAYAN, Alvin: Investigation of Bites and Itching in a Word Processing Department, 310

NAYEBZADEH, Ataollah: Mineralogy of Lung Tissue in Dental Laboratory Technicians' Pneumoconiosis, 349, Evaluation of Exposure to Methyl Methacrylate Among Dental Laboratory Technicians, 625

NEITZEL, Richard: An Assessment of Occupational Noise Exposures in Four Construction Trades, 807

NICHOLSON, Howard F.: Exposure Received from Application of Animal Insecticides, 208

NISHIOKA, Yurika: Variabilities in Aerosolizing Activities and Airborne Fungal Concentrations in a Bakery, 317

OGILVIE, Linda K.: Exposure Received from Application of Animal Insecticides, 208

1999 Author Index

OLCERST, Robert: "Use in Well-Ventilated Area"?, 377

OSVOLL, Peter: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

OVERTON, J.H.: Simulated Blood Levels of CF_3I in Personnel Exposed During Its Release from an F-15 Jet Engine Nacelle and During Intentional Inhalation, 403

PALMES, E.D.: Feasibility of Sampling Vapors of Compounds with Low Volatility by Permeation, 195

PENDERGRASS, Stephanie M.: Determination of Glycols in Air: Development of Sampling and Analytical Methodology and Application to Theatrical Smokes, 452

PERNOLD, Gunilla: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

POIRIER, Louise: An Evaluation of an Air-Supplied Blouse and an Air Hood, 116

POOVEY, Halet G.: Development and Application of a Dichotomous Vapor/Aerosol Sampler for HDI-Derived Total Reactive Isocyanate Group, 737

QUE HEE, Shane S.: A New Passive Sampler for Aldehydes, 463

RANDO, Roy J.: Development and Application of a Dichotomous Vapor/Aerosol Sampler for HDI-Derived Total Reactive Isocyanate Group, 737

RAVEN, Peter B.: Prediction of Respiratory Distress During Maximal Physical Exercise: The Role of Trait Anxiety, 512

RAY, Paul: Effects of a Novel Ice-Cooling Technique on Work in Protective Clothing at 28°C, 23°C, and 18°C WBGTs, 96

REJENT, Gina M.: Incident Trends for a Hazardous Waste Cleanup Company, 666

REMPEL, David M.: The Effects of Keyswitch Stiffness on Typing Force, Finger Electromyography, and Subjective Discomfort, 762

REMPEL, David: Workplace Use of an Adjustable Keyboard: Adjustment Preferences and Effect on Wrist Posture, 340

RENEAU, Paul D.: A Comparison of Physiological Responses to Two Types of Particle Barrier, Vapor Permeable Clothing Ensembles, 495

REYNOLDS, J.W.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

REYNOLDS, Stephen J.: Worker Exposures to Particulates, Endotoxins, and Bioaerosols in Two Refuse-Derived Fuel Plants, 679

ROCK, J.C.: Microwave Emissions from Police Radar, 770

ROEGNER, Kevin: Investigation of Bites and Itching in a Word Processing Department, 310

ROONEY, Brian C.: Comparison of NIOSH Method 7400 A and B Counting Rules for Assessing Synthetic Vitreous Fiber Exposures, 526

ROONEY, Brian C.: Comparison of Personal Exposure Meter Placement for the Determination of Office Worker ELF Magnetic Field Exposures, 647

ROSINSKI, K.D.: Indoor Airborne Fiber Levels of MMVF in Residential and Commercial Buildings, 794

RUDD, Rodney W.: A Protocol System for Testing Biohazardous Materials in an Impact Biomechanics Research Facility, 629

RUONAKANGAS, Anne: Tank Truck Driver Exposure to Vapors from Oxygenated or Reformulated Gasolines During Loading and Unloading, 518

RYTKÖNEN, Esko: Whole-Body Vibration of Locomotive Engineers, 409

SAHOTA, Manjit S.: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

SAVELA, Anja: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

SCALERA, J.V.: Lead-Based Paint Testing Technologies: Summary of an EPA/HUD Field Study, 444

SCHIFFMAN, Amy: Comparison of Personal Exposure Meter Placement for the Determination of Office Worker ELF Magnetic Field Exposures, 647

SCHMEHL, R.L.: Lead-Based Paint Testing Technologies: Summary of an EPA/HUD Field Study, 444

SCHULTZ, Bradley D.: The Use of Composite Dust Wipe Samples as a Means of Assessing Lead Exposure, 326

SCHWEMBERGER JR., J.G.: Lead-Based Paint Testing Technologies: Summary of an EPA/HUD Field Study, 444

SCOTT, William H.: Effect of Respirator Inspiratory Resistance Level on Constant Load Treadmill Work Performance, 474

SCRIPSICK, Ronald C.: In-Place Filter Testing Geometry Effects on Test Result Uncertainty: Single Stage Systems, 300

SEIXAS, Noah S.: An Assessment of Occupational Noise Exposures in Four Construction Trades, 807

SHERWOOD, R. Jerry: Structure and Validation of a Pharmacokinetic Model for Benzene, 249

SHERWOOD, R. Jerry: New PBPK Model Applied to Old Occupational Exposure to Benzene, 259

SHIH, Tung-Sheng: Laboratory Performance Comparison of Respirable Samplers, 601

SIMCOX, Nancy J.: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

SINCLAIR, Georgia C.: Structure and Validation of a Pharmacokinetic Model for Benzene, 249

SINCLAIR, Georgia C.: New PBPK Model Applied to Old Occupational Exposure to Benzene, 259

SISTO, Renata: Electromagnetic Radiation from VDT Units: Study of the Effectiveness of an Active Shielding Device, 111

SMITH, Robert A.: Issues Concerning the Measurement of Borate in Occupational Environments, 651

SMITH, Thomas J.: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

SONG, Ruiguang S.: Proficiency Analytical Testing (PAT) Silica Variability, 1990–1998, 533

SORAINEN, Esko: Whole-Body Vibration of Locomotive Engineers, 409

SPANN, Jeffrey G.: Experimental Investigation of Power Loss Coefficients and Static Pressure Ratios in an Industrial Exhaust Ventilation System, 367

SPANNE, Mårten: Collection Efficiency for Submicron Particles of a Commonly Used Impinger, 540

STEBBINS, Arlene: Farmworker Exposure to Organophosphorus Pesticide Residues During Apple Thinning in Central Washington State, 752

STEWART, Patricia: Exposure Received from Application of Animal Insecticides, 208

STONE, R.A.: An Investigation of Secondary Exposure Misclassification Effects of Lifelong Occupational History in Exposure Estimation, 175

SZADKOWSKA-STANCZYK, Irena: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

TESCHKE, Kay: Studying the Determinants of Exposure: A Review of Methods, 57

TESCHKE, Kay: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

THEORELL, Töres: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

THORNE, Peter S.: Worker Exposures to Particulates, Endotoxins, and Bioaerosols in Two Refuse-Derived Fuel Plants, 679

TIELEMANS, Erik: Exposure to Fungicides in Fruit Growing: Re-Entry Time as a Predictor for Dermal Exposure, 789

TIERNAN, Gerard: Quantification of Bypass Leakage in Filter Holders with Cyclone Elutriators, 545

TITTIRANONDA, Pat: Workplace Use of an Adjustable Keyboard: Adjustment Preferences and Effect on Wrist Posture, 340

TSAI, Shih-wei: A New Passive Sampler for Aldehydes, 463

TUCKER, Samuel P.: An Approach to Area Sampling and Analysis for Total Isocyanates in Workplace Air, 200

ULIN, Sheryl S.: Ergonomic Considerations in Trucking Delivery Operations: An Evaluation of Hand Trucks and Ramps, 22

UNDERHILL, Dwight W.: Effect of Relative Humidity on the Adsorption of Selected Water-Miscible Organic Vapors by Activated Carbon, 730

UNDERWOOD, W.S.: Exposures from Thorium Contained in Thoriated Tungsten Welding Electrodes, 384

VAINIOTALO, Sinikka: Tank Truck Driver Exposure to Vapors from Oxygenated or Reformulated Gasolines During Loading and Unloading, 518

VAN DEN HEEVER, Dawid Johannes: Quantification of Bypass Leakage in Filter Holders with Cyclone Elutriators, 545

VAN DER WOORD, Miriam P.: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 713

VANSANT, E.F.: Influence of Humidity on Adsorption Capacity from the Wheeler-Jonas Model for Prediction of Breakthrough Times of Water Immiscible Organic Vapors on Activated Carbon Beds, 612

VERMA, Dave K.: Measurement of Benzene in the Workplace and Its Evolution Process, Part I: Overview, History, and Past Methods, 38

VERMA, Dave K.: Measurement of Benzene in the Workplace and Its Evolution Process, Part II: Present Methods and Future Trends, 48

VINEGAR, A.: Simulated Blood Levels of CF_3I in Personnel Exposed During Its Release from an F-15 Jet Engine Nacelle and During Intentional Inhalation, 403

1999 Author Index

VINGÅRD, Eva: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

VOLCKENS, John: Oil Mist Concentration: A Comparison of Sampling Methods, 684

VORDTRIEDE, Sarah: Investigation of Bites and Itching in a Word Processing Department, 310

WAGNER, J.P.: Microwave Emissions from Police Radar, 770

WALDENSTRÖM, Måns: Differences in the Association Between Psychosocial Work Conditions and Physical Work Load in Female- and Male-Dominated Occupations, 673

WALKER, J.L.: Fluid Replacement Preferences in Heat-Exposed Workers, 747

WARD, Mary H.: Exposure Received from Application of Animal Insecticides, 208

WENZL, Thurman B.: Assessment of Magnetic Field Exposures for a Mortality Study at a Uranium Enrichment Plant, 818

WESTBERG, Håkan: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

WHITTAKER, Lisa S.: Employee Exposure to Diesel Exhaust in the Electric Utility Industry, 635

WIDERKIEWICZ, Krystyna: Occupational Exposure to Chemical and Biological Agents in the Nonproduction Departments of Pulp, Paper, and Paper Product Mills: An International Study, 73

WILLIAMS, Phillip L.: Evaluation and Field Calibration of the Miniram PDM-3 Aerosol Monitor for Measuring Respirable and Total Coal Dust, 502

WILLIAMS, Phillip L.: Employee Exposure to Diesel Exhaust in the Electric Utility Industry, 635

WILSON, Judy R.: Prediction of Respiratory Distress During Maximal Physical Exercise: The Role of Trait Anxiety, 512

WILSON, Kerr: Biological Monitoring: The Role of Toxicokinetics and Physiologically Based Pharmacokinetic Modeling, 237

WILZBACHER, Jeremy R.: Four Assessment Tools of Ergonomics Interventions: Case Study at an Electric Utility's Warehouse System, 777

WOOLLEY, Charles B.: Ergonomic Considerations in Trucking Delivery Operations: An Evaluation of Hand Trucks and Ramps, 22

WU, Ming-Tsang: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

WYPIJ, David: Assessment of Coke Oven Emissions Exposure among Coking Workers, 105

YOST, Michael: An Assessment of Occupational Noise Exposures in Four Construction Trades, 807

ZAHM, Shelia Hoar: Exposure Received from Application of Animal Insecticides, 208

ZHAO, Luhua: Uptake of Chloroform by Skin on Brief Exposures to the Neat Liquid, 5

ZAHM, Shelia Hoar: Systemic Uptake and Clearance of Chloroform by Hairless Rats Following Dermal Exposure: II. Absorption of the Neat Solvent, 438

ZHOU, Joseph: Systemic Uptake and Clearance of Chloroform by Hairless Rats Following Dermal Exposure: II. Absorption of the Neat Solvent, 438

ZHUANG, Ziqing: Simulated Workplace Performance of N95 Respirators, 618

ZIELHUIS, Gerhard: Exposure to Fungicides in Fruit Growing: Re-Entry Time as a Predictor for Dermal Exposure, 789

1999 Subject Index

A

accelerometer measurements
- whole-body vibration in locomotive engineers, 409–411

accuracy of measurements
- dust wipe sampling, lead exposure studies, 328–332
- high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 300–308
- weighing accuracy of IOM and CIS inhalable samplers, 235–236

acetone mass transfer
- gas emissions, helium tracer evaluation, 354–362

ACGIH. *See* American Conference of Governmental Industrial Hygienists acrolein

aldehydes, passive sampling for, diffusive sampler standard, 465–472

acrylic dust measurements
- methyl methacrylate (MMA) exposure in dental technicians, 626–628

actinomycetes
- mold cultures, airborne microflora in dairy farms, 89–94

activated carbon
- filters, ozone removal at PPB level, 589–599
- water-miscible organic vapor adsorption on, relative humidity effects, 730–736
- Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617

active ingredient (AI) concentrations, animal insecticide exposures, application studies, 208–211

activity coefficients
- water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 730–736

activity median aerodynamic diameter (AMAD)
- thorium exposure in tungsten welding electrodes, 386–389

adsorption techniques
- ozone, activated carbon filters for removal of, at PPB level, 595–599
- passive sampling for aldehydes, 463–472
- water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 730–736
- Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity, 612–617

aerodynamic particle sizer (APS)
- respirable samplers, laboratory performance comparisons of, 602–611

aerosol photometer
- metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788

aerosols
- air-supplied blouse and air hood evaluation, 116–119
- animal health products, premixing and compounding processes, ergonomic analysis, 390–395
- environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
- glycol compounds in theatrical smokes, sampling and analysis standards, 452–457
- 1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
- metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
- Miniram PDM-3 aerosol monitor, evaluation and field calibration, coal dust measurement, 502–512
- oil mist concentration measurement, comparison of methods, 684–689
- respirable cyclone samplers, penetration in, 720–728
- respirable samplers, laboratory performance comparisons of, 601–611
- respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
- submicron particles, impinger collection efficiency, 540–543
- Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617

Agency for Toxic Substances and Disease Registry, benzene measurement, workplace sampling and analysis, 45

agriculture and agricultural workers
- airborne microflora in dairy farms, 89–94
- animal insecticide exposures, application studies, 208–211
- fruit growing fungicides, re-entry time as skin exposure predictor, 789–793
- organophosphorus pesticide exposure, 752–760

AIHA. *See* American Industrial Hygiene Association (AIHA)

airborne contaminants
- borate compounds, occupational environments, measurement issues concerning, 651–658
- cyclone samplers, aerosol penetration in, 723–728

airborne microorganisms
- airborne microflora in dairy farms, 89–94
- bioaerosol and fungal concentrations in bakeries, 317–325
- bites and itching in word processing departments, 310–315
- exposure monitoring in refuse-derived fuel (RDF) plants, 679–682
- metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 481–485
- pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
- ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 219–227
- ventilation systems, power loss coefficients and static pressures, investigation of, 367–376

air disinfection devices
- ultraviolet germicidal irradiation (UVGI), evaluation of, 219–227

airflow measurements
- cyclone elutriator filter holders, quantification of bypass leakage, 545–547
- environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
- fluorocarbon 113 exposure monitoring in airflow clean rooms, 486–494
- gas emissions, helium tracer evaluation, 355–362
- low vapor pressure compounds, permeation sampling, feasibility of, 195–199
- metalworking fluids (MWF), leakage evaluation with, 785–788
- nitrous oxide exposure, passive sampling and head space analysis, 459–461
- ozone, activated carbon filters for removal of, at PPB level, 589–599
- pitot traverses, ideal conditions *vs.* downstream from obstruction, 165–173
- ventilation systems, power loss coefficients and static pressures, investigation of, 367–376

air hoods
- evaluation of, 116–119
- metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
- methyl methacrylate (MMA) exposure in dental technicians, 626–628
- ventilation systems, power loss coefficients and static pressures, investigation of, 367–376

air quality
- indoor air quality (IAQ)
  - bites and itching in word processing departments, 310–315
  - indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
  - ozone, activated carbon filters for removal of, at PPB level, 589–599

air sampling procedures
- bioaerosol and fungal concentrations in bakeries, variabilities in, 317–325
- borate compounds, occupational environments, measurement issues concerning, 651–658
- coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
- cyclone elutriator filter holders, quantification of bypass leakage, 545–547
- diesel exhausts, electric utility employees exposure studies, 636–639
- gas emissions, helium tracer evaluation, 357–362
- glycol compounds in theatrical smokes, sampling and analysis, 452–457
- 1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
- high-efficiency particulate air (HEPA) filter systems, in-place testing geometry, 300–308
- indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
- isocyanate area sampling and analysis, workplace air, 200–206
- metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
- methyl methacrylate (MMA) exposure in dental technicians, 625–628
- nitrous oxide exposure, passive sampling and head space analysis, 458–461
- N95 respirator models, simulated workplace performance, 618–623
- oil mist concentration measurement, comparison of methods, 684–689
- ozone, activated carbon filters for removal of, at PPB level, 589–599
- respirable cyclone samplers, penetration in, 720–728
- respirable samplers, laboratory performance comparisons of, 601–611
- respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
- submicron particles, impinger collection efficiency, 540–543
- synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison with other standards, 529–531
- thorium exposure in tungsten welding electrodes, 385–389
- Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
- worker exposure studies in refuse-derived fuel (RDF) plants, 679–682

air-supplied blouse
- evaluation of, 116–119

alcohol disinfectants
- biohazardous materials, testing protocols for impact biomechanics research, 633–634

aldehydes
- passive sampling techniques, 463–472

aluminum smelters
- heat stress and strain in, 659–665

ambient aerosol method

* Locators followed by the designator (LTE) indicate a letter to the editor.

respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
ambient conditions measurement procedures
microwave emissions monitoring of police radar, 773–776
ambient outdoor respirable fiber levels
indoor airborne levels of vitreous fibers in residential and commercial buildings, 798–799
American Conference of Governmental Industrial Hygienists (ACGIH)
Industrial Ventilation standard, pitot traverses, 166–173
physiologically based pharmacokinetic modeling (PBPK) and toxicokinetics, biological exposure indices (BEIs), 241
tetrahydrofuran, biological monitoring, PBPK modeling, 241–247
American Industrial Hygiene Association (AIHA)
PAT program and, 163 (LTE)*
silica variability, PAT testing, 533–538
web sources and electronic publishing, 297 (LTE)*
American National Standards Institute (ANSI)
air-supplied blouse and air hood, 116–119
pitot traverses, ideal conditions *vs.* downstream from obstruction, 167–173
American Society for Testing and Materials (ASTM). *See* specific ASTM methods
American Society of Heating, Refrigerating, and Air-Conditioning Engineers (ASHRAE)
pitot traverses, ideal conditions *vs.* downstream from obstruction, evaluation standards, 167–173
AMEX personal monitors, magnetic field exposure, uranium enrichment plants, mortality studies, 818–824
anesthetic gases
nitrous oxide, passive sampling and head space analysis, 458–461
animal health products
premixing and compounding processes, ergonomic analysis, 390–395
animal studies
skin uptake of chloroform in hairless rats, 5–14, 438–443
application procedures
animal insecticide exposures, application studies, 208–211
area measurements
lead-based paint (LBP) testing technologies, EPA/HUD field study, 450–451
areas-under-the-curves (AUC) measurements
skin uptake of chloroform, 441–443
arterial blood concentrations
benzene, pharmacokinetic modeling of, 249–258
trifluoroiodomethane (CF_3I), exposure studies, 403–407
asbestos
pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
ASHRAE. *See* American Society of Heating, Refrigerating, and Air-Conditioning Engineers (ASHRAE)
ASME heterogeneity limits
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 306–308
Aspergillus species
airborne microflora in dairy farms, 89–94
asphalt
bitumen fume exposure, laboratory design for study of, 182–190
assigned protection factors (APFs)
validity of, for half-mask respirators, 428–431 (LTE)*
asthma
bioaerosol concentrations in bakeries, 317–325
methyl methacrylate (MMA) exposure in dental technicians, 625–628
pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
risk, metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
ASTM F-739-93 method, corrections to, 297, 299 (LTE)*
atomic magnetic dipoles shielding devices
VDT-induced electromagnetic radiation, 112–115
Australian Institute of Occupational Hygiene (AIOH)
standards development for occupational exposure limits, 297 (LTE*)
autocorrelation function
magnetic field exposure, electric utility workers, measurement strategies, 713–718
azinphos-methyl compounds
agricultural workers exposure in apple orchards, 752–760

B

bacterial cultures
metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 481–485
bacteriocidal efficacy
ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 219–227
bakeries
bioaerosols concentrations in, 317–325
benzene
coke oven emissions, assessment of, 105–109
pharmacokinetic model structure for, 249–258
physiologically based pharmacokinetic modeling (PBPK), applications to old occupational exposure studies, 259–265
workplace measurement, exposure studies, 38–45, 48–54, 585 (LTE)*
benzene soluble fraction of total particulates (BSF)
exposure assessment of coke oven emissions, 105–109
benzene soluble matter (BSM)
in bitumen fumes, laboratory design for exposure studies, 182–190
bioaerosols
airborne microflora in dairy farms, 89–94
concentrations in bakeries, 317–325
in refuse-derived fuel (RFD) plants, 679–682
bioavailability
skin uptake of chloroform, 438–443
biohazardous materials
testing protocols for impact biomechanics research, 629–634
biological exposure indices (BEIs)
physiologically based pharmacokinetic modeling (PBPK) and toxicokinetics, biological monitoring with, 240–241
pulp and paper industry, occupation exposure studies, nonproduction departments, 74–82
tetrahydrofuran, PBPK modeling, 241–247
biological guidance values
physiologically based pharmacokinetic modeling (PBPK) and toxicokinetics, biological monitoring, 241
biological monitoring
benzene, PBPK modeling, old occupational exposure studies, 260–265
metalworking fluids (MWF), monitoring of time and use changes, pilot study, 480–485
pharmacokinetic modeling, toxicokinetics and, 237–241
respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
tetrahydrofuran, PBPK modeling, 241–247
ventilation systems, MSDS specifications, adequacy of, 379–383
biological tolerance values (BAT)
physiologically based pharmacokinetic modeling (PBPK) and toxicokinetics, biological monitoring with, 241
tetrahydrofuran, biological monitoring, PBPK modeling, 241–247
biomechanical analysis
hand truck delivery operations, ergonomic evaluation of trucks and ramps, 29–31
bites and itching
investigation of, in word processing departments, 310–315
bitumen fumes
exposure studies, laboratory design, 182–190
bloodborne pathogens
biohazardous materials, testing protocols for impact biomechanics research, 629–634
blood lead levels
lead-based paint exposure studies in inner-city high schools, 191–199
blood monitoring
biohazardous materials, testing protocols for impact biomechanics research, 629–634
lead-based paint exposure studies in inner-city high schools, 191–199
organophosphorus pesticides, agricultural workers exposure in apple orchards, 755–760
skin uptake of chloroform, 438–443
trifluoroiodomethane (CF_3I), exposure studies, 403–407
body temperature
fluid replacement preferences, heat-exposed workers, 747–750
PBVP protective clothing, physiological responses to, 495–500
physiological responses to PBVP protective clothing, 495–500
in protective clothing, ice-cooling techniques, 97–103
Questemp II personal heat strain monitor, low-to-moderate heat stress, predictions of, 801–806
borate compounds
occupational environments, measurement issues concerning, 651–658
Borg's psychophysical assessment
ergonomic assessment, electric utility workers, tools for, 779–784
brain cancer
uranium enrichment plants, mortality studies, 818–824
brake design
hand truck delivery operations, ergonomic evaluation of trucks and ramps, 29–31
breakthrough times
Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
Breathing Apparatus Comfort Scale (BACS)
respirator inspiratory resistance levels, constant load treadmill work performance, 475–478
respirator wear and exercise, cognitive performance and mood analysis with, 215–217
breathing rates
anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
benzene, pharmacokinetic modeling of, 249–258
environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
respirator fit factor performance during sweating, 87–88
respirator wear and exercise, cognitive performance and mood analysis, 213–217
breathing zone concentration measurements
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
Brunauer, Emmett, and Taylor (BET) equation
water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 730–736
bypass leakage
cyclone elutriator filter holders, quantification of, 545–547

C

cadaver management
biohazardous materials, testing protocols for impact biomechanics research, 629–634

CALIS Statistical Analysis System (SAS)
  coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
cancer risk studies
  pulp and paper industry, occupation exposure studies, nonproduction departments, 73–82
captan
  fungicide exposure, re-entry time as exposure predictor, 789–793
carbon compounds
  diesel exhausts, electric utility employees exposure to, 635–639
carbon dioxide
  nitrous oxide exposure, passive sampling and head space analysis, 459–461
cardiac sensitization
  trifluoroiodomethane (CF_3I), exposure studies, 403–407
challenge concentration heterogeneity
  high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 303–308
charcoal tube/solvent desorption analysis
  benzene measurement, workplace sampling and analysis, 50–54, 585 (LTE)*
chemical concentration measurements
  crystalline silica measurement, analytical methods, review of, 398–401
  fungicide exposure, re-entry time as exposure predictor, 789–793
  ventilation systems, MSDS specifications, adequacy of, 378–383
chemical protective clothing
  particle barrier and vapor permeable ensembles, physiological responses to, 495–500
chemical-related incidents
  hazardous waste cleanup incident trends, 669–672
chemical test kits
  lead-based paint (LBP), testing technologies, EPA/HUD field study, 444–451
children's health issues
  dust wipe sampling in lead exposure studies, 326–332
  lead-based paint (LBP) exposure studies in inner-city high schools, 191–199
chlorine bleach
  biohazardous materials, testing protocols for impact biomechanics research, 633–634
chloroform
  accumulation and exposure duration, 13–14
  skin uptake of, 5–14, 438–443
choice reaction tasks
  respirator wear and exercise, cognitive performance and mood analysis, 213–217
cholinesterase monitoring
  organophosphorus pesticides, agricultural workers exposure in apple orchards, 752–760
chromium compounds
  pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
Cladosporium sp
  bioaerosol and fungal concentrations in bakeries, variabilities in, 317–325
clean room environments
  fluorocarbon 113 exposure monitoring in airflow clean rooms, 486–494
clearance rates
  chloroform, skin exposure studies, 6–14
climate conditions
  airborne microflora in dairy farms, 89–94
  bites and itching in word processing departments, 310–315
  diesel exhausts, electric utility employees exposure studies, 636–639
  exposure monitoring in refuse-derived fuel (RFD) plants, 681–682
  hazardous waste cleanup incident trends, 666–672
  heat stress and strain in aluminum smelters, 660–665
  protective clothing, thermal characteristics, heat stress analysis, 33–37
  tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
clothing factor for evaporative cooling
  protective clothing, thermal characteristics, heat stress analysis, 32–37
coal dust measurement
  Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
cobalt compounds
  pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
cognitive performance
  anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
  respirator wear during exercise and, 213–217
coke industry
  exposure assessment of oven emissions, 105–109
collection efficiency standards
  submicron particles, impingers, 540–543
colony-forming units (CFU)
  metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 481–485
colorimetric spectrophotometry
  silica variability, 533–538
commercial site exposure studies
  indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
  synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison with other standards, 529–531
complaint procedures
  respiratory protection standard in hospitals, OSHA compliance guidelines, 228–233
compliance procedures
  crystalline silica measurement, analytical methods, review of, 396–401
  environmental politics and, 587–588
  respiratory protection standard in hospitals, OSHA compliance guidelines, 228–233
CONCAWE detection procedure
  benzene measurement, workplace sampling and analysis, 52–54, 585 (LTE)*
conical inhalable sampler (CIS)
  inhalable samplers, weighing accuracy of, 235–236
construction industry
  hazardous waste cleanup incident trends, 666–672
  noise exposure studies in, 807–816
control measures
  evaluation of, 57–70
COOL suits
  protective clothing, ice-cooling techniques, 96–103
corn oil method
  respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
cost comparisons
  dust wipe sampling, lead exposure studies, 330–332
counting rules
  indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
  synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison of, 526–531
count median diameter (CMD) measurements
  resiprable cyclone samplers, aerosol penetration in, 723–728
cristobalite
crystalline silica measurement, analytical methods, review of, 396–401
critical environment conditions
  protective clothing, thermal characteristics, heat stress analysis, 32–37
cross-correlation functions
  gas emissions, helium tracer evaluation, 356–362
crystalline silica
  measurement, analytical methods, review of, 396–401, 585 (LTE)*
  methyl methacrylate (MMA) exposure in dental technicians, 626–628
cyclone elutriators
  bypass leakage in filter holders, 545–547
cyclone samplers
  aerosol penetration in, 720–728
  respirable samplers, laboratory performance comparisons of, 601–611

D

data analysis techniques
  crystalline silica measurement, analytical methods, review of, 396–401
  finger electromyography, typing force and key-switch stiffness, 764–769
  gas emissions, helium tracer evaluation, 357–362
  hazardous waste cleanup incident trends, 666–672
  pulp and paper industry, occupation exposure studies, nonproduction departments, 76–82
  review of exposure determinants, 68–70
  secondary exposure misclassification, impact on occupational history studies, 175–181
  silica variability, PAT testing, 534–538
decision making abilities
  respirator wear and exercise, cognitive performance and mood analysis, 213–217
dehydration mechanisms
  borate compounds, occupational environments, measurement issues concerning, 651–658
  fluid replacement preferences, heat-exposed workers, 747–750
dematerialization procedures
  environmental politics and, 587–588
dental technicians
  methyl methacrylate (MMA) exposure in, 625–628
  pneumoconiosis in, lung tissue mineralogy, 349–353
denuder reactions
  1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
deposition studies
  environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
dermatitis
  bites and itching in word processing departments, 310–315
  metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
desorption efficiencies
  aldehydes, passive sampling for, 466–472
  benzene measurement, workplace sampling and analysis, 50–54
  glycol compounds in theatrical smokes, sampling and analysis standards, 455–457
detection limits
  benzene measurement, workplace sampling and analysis, 52–54, 585 (LTE*)
  glycol compounds in theatrical smokes, sampling and analysis standards, 454–457
  isocyanate area sampling and analysis, workplace air, 202–206
  pulp and paper industry, occupation exposure studies, nonproduction departments, 76–82
  review of exposure determinants, 68–70
Deutsche Forschungsgemeinschaft (DFG)
  physiologically based pharmacokinetic modeling (PBPK) and toxicokinetics, biological monitoring with BATs, 241
diametric parameters
  pitot traverses, ideal conditions *vs.* downstream from obstruction, 171–173
dichotomous sampling
  1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745

diesel exhausts
  electric utility employees exposure to, 635–639
  study of, 434–437
diffusion coefficient
  low vapor pressure compounds, permeation sampling, feasibility of, 195–199
dimethyl sulfoxide (DMSO)
  freezing point of, 204–205
  isocyanate area sampling and analysis, workplace air, 200–206
dimethylthiophosphate (DMTP)
  organophosphorus pesticides, agricultural workers exposure in apple orchards, 755–760
2,4-Dinitrophenylhydrazine (DNPH)
  aldehydes, passive sampling for, 464–472
direct-reading aerosol monitoring
  coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
disinfectants
  biohazardous materials, testing protocols for impact biomechanics research, 632–634
dislodgable foliar residue (DFR) sampling
  fungicide exposure studies, re-entry times as exposure predictor, 792–793
  organophosphorus pesticides, agricultural workers exposure in apple orchards, 753–760
dissipated power coefficient
  ventilation systems, power loss coefficients and static pressures, investigation of, 367–376
distribution parameters
  organic solvents, short-term indoor exposure, within-shift variability, 17–21
Documentation of the Threshold Limit Values and Biological Exposure Indices (BEI), 41
dose-response relationships
  heat stress and strain in aluminum smelters, 659–665
dosimetry measurements
  noise exposure studies in construction industry, 807–816
drawn-over-mandrel (DOM) tubing
  pitot traverses, ideal conditions *vs.* downstream from obstruction, 167–173
  ventilation systems, power loss coefficients and static pressures, investigation of, 370–376
dry heat exchange
  protective clothing, thermal characteristics, heat stress analysis, 32–37
Dubinin-Radushkevich equation
  water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 730–736
  Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
dust sampling. *See* particulate sampling
DustTrak® Monitor
  coal dust measurement, Miniram PDM-3 aerosol monitor, comparison with, 508–512
dust wipe sampling
  lead-based paint (LBP) exposure studies in inner-city high schools, 191–199
  lead exposure assessment with, 326–332
dyspnea, anxiety about respirators
  prediction of respiratory distress during exercise, role of, 512–517

E

ear canal temperature
  Questemp II personal heat strain monitor, low-to-moderate heat stress, body temperature predictions, 801–806
educational policies
  correlation of social and scientific issues in occupational hygiene, 434–437
egress time analysis
  trifluoroiodomethane (CF_3I), exposure studies, 403–407
electric utility industry
  diesel exhausts, electric utility employees exposure to, 635–639
  ergonomic assessment tools, case study using, 777–784
  magnetic field exposure, 713–718
  magnetic field exposure, uranium enrichment plants, mortality studies, 818–824
electrodes
  thorium exposure in tungsten welding electrodes, 384–389
electrolyte-carbohydrate (ECHO) beverages
  fluid replacement preferences, heat-exposed workers, 747–750
electromagnetic radiation
  personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 648–650
  uranium enrichment plants, mortality studies, 818–824
  VDT units, study of shielding devices, 111–115
electromyography
  finger electromyography, typing force and key-switch stiffness, 762–769
electron capture detector (ECD)
  nitrous oxide exposure, passive sampling and head space analysis, 458–461
electrostatic fields
  bites and itching in word processing departments, 314–315
electrostatic precipitation
  oil mist concentration measurement, comparison of sampling methods, 684–689
ELPAT. *See* Environmental lead proficiency analytical testing (ELPAT) program
EMDEX personal dosimeters
  magnetic field exposure, uranium enrichment plants, mortality studies, 818–824
emergency procedures
  biohazardous materials, testing protocols for impact biomechanics research, 632–634
emissions monitoring
  gaseous emissions evaluation, helium tracer techniques, 354–362
  high-efficiency particulate air (HEPA) filters, in-place filter testing geometry, 300–308
  microwave emissions from police radar, 770–776
  ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 221–227
emotional and stress factors
  anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
  bites and itching in word processing departments, studies involving, 315
  mood analysis, respirator wear during exercise and, 213–217
endotoxins
  airborne microflora in dairy farms, 89–94
  refuse-derived fuel (RFD) plants, 679–682
end-user/supplier compacts
  environmental politics and, 587–588
Environmental Lead Proficiency Analytical Testing (ELPAT) Program
  round 23 report, 126–129
  round 24 report, 412–416
environmental monitoring
  benzene measurement, workplace sampling and analysis, 53–54
  bites and itching in word processing departments, 310–315
  lead-based paint exposure studies in inner-city high schools, 192–199
environmental politics
  Lynn Scarlett commentary, 586–588
Environmental Protection Agency (EPA)
  dust wipe sampling guidelines, 326–332
  lead-based paint exposure studies in inner-city high schools, 191–199
  lead-based paint (LBP), testing technologies, EPA/HUD field study, 444–451
environmental tobacco smoke (ETS)
  deposition of submicrometer particulates in human respiratory tract, 334–338
EPA. *See* Environmental Protection Agency (EPA)
epidemiologic studies
  animal insecticide exposures, 208–211
  benzene measurement, leukemia risk, 41–45, 48–54
  bites and itching in word processing departments, 310–315
  fungicide exposure, re-entry time as exposure predictor, 789–793
  magnetic field exposure
    electric utility workers, measurement strategies, 713–718
    uranium enrichment plants, mortality studies, 818–824
    metalworking fluids (MWF), leakage evaluation protocols, 785–788
    noise exposure studies in construction industry, 807–816
    personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
    psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
    pulp, paper and paper product industry, exposure studies, 73–82
    secondary exposure misclassification, impact on occupational history studies, 175–181
equivalent resistance measurements
  ventilation systems, experimental investigation of, 367–376
ergonomic analysis
  animal health products, premixing and compounding processes, 390–395
  electric utility workers, assessment tools review, 777–784
  finger electromyography, typing force and key-switch stiffness, 762–769
  hand truck delivery operations, truck and ramp ergonomics, 22–31
  wrist posture and adjustable keyboard use, 340–348
error propagation techniques
  high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 307–308
ethics
  correlation of social and scientific issues in occupational hygiene, 432–437
EtO gas
  respiratory protection standard in hospitals, OSHA compliance guidelines, 231–233
European Concerted Action on Male Reproduction Capability (ASCLEPIOS), fungicide exposure, re-entry time as exposure predictor, 789–793
evaporation
  oil mist concentration measurement, comparison of sampling methods, 684–689
  protective clothing, thermal characteristics, heat stress analysis, total evaporative resistance, 36–37
  skin uptake of chloroform in hairless rats, systemic uptake *vs.*, 11–14
exchange rate (ER)
  noise exposure studies in construction industry, 808–816
exercise
  air-supplied blouse and air hood evaluation, 116–119
  anxiety about respirators, prediction of respiratory distress during, role of, 512–517
  respirator inspiratory resistance levels, constant load treadmill work performance, 474–478
  respirator wear and, cognitive performance and mood during, 213–217
exhalation validation
  benzene, PBPK modeling, old occupational exposure studies, 260–265
  benzene, pharmacokinetic modeling of, 251–258
experimental study design
  review of exposure determinants, 59–70

expiratory resistance
respirator inspiratory resistance levels, constant load treadmill work performance, 475–478
exposure monitoring
animal insecticide exposures, 208–211
benzene measurement, workplace sampling and analysis, 38–45, 48–54, 585 (LTE)*
bitumen fume exposure, laboratory design, 182–190
coke oven emissions, exposure assessment of workers, 105–109
diesel exhausts, electric utility employees exposure to, 635–639
dust wipe sampling, lead exposure studies, 326–332
fluorocarbon 113 in airflow clean rooms, 486–494
fungicides in fruit growing, re-entry time as skin exposure predictor, 789–793
lead-based paint exposure studies in inner-city high schools, 191–199
magnetic field exposure, electric utility workers, measurement strategies, 713–718
magnetic field exposure, uranium enrichment plants, mortality studies, 818–824
methyl methacrylate (MMA) exposure in dental technicians, 625–628
microwave emissions monitoring of police radar, 771–776
mineral fibers, study of, 433–437
mixtures, study of, 433–437
NIOSH method 7400, A and B counting rules, synthetic vitreous fibers exposure assessment with, 526–531
nitrous oxide exposure, passive sampling and head space analysis, 458–461
noise exposure studies in construction industry, 807–816
organic solvents, short-term indoor exposure, within-shift variability, 16–21
organophosphorus pesticides, agricultural workers exposure in apple orchards, 752–760
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
protective clothing, ice-cooling techniques, 101–103
pulp and paper industry, occupation exposure studies, nonproduction departments, 74–82
in refuse-derived fuel (RFD) plants, 679–682
respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
review of methods of, 57–70
second exposures misclassification, effects on estimations, 175–181
short-term exposure to organic solvents, 16–21
skin uptake of chloroform, 5–14, 438–443
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
tetrahydrofuran, biological monitoring, PBPK modeling, 242–247
trifluoroiodomethane (CF_3I), exposure studies, 403–407
VDT-induced electromagnetic radiation, shielding devices, 112–115
ventilation systems, adequacy of specifications in MSDS, assessment of, 378–383
wood processing, dust exposure studies, 641–645
extremely low frequency (ELF) exposure
magnetic field exposure, electric utility workers, measurement strategies, 713–718
personal exposure meter (PEM) monitoring, placement comparisons in exposure studies, 647–650
VDT-induced electromagnetic radiation, shielding devices, 112–115

F

facility engineering
ventilation systems, material safety data sheets (MSDS) specifications, adequacy of, 377–383
farmer's lung disease
airborne microflora in dairy farms, 89–94
farmworkers. *See* agricultural workers
fatigue-decreased proficiency boundary
whole-body vibration in locomotive engineers, 409–411
fatigue effects
finger electromyography, typing force and key-switch stiffness, 766–769
fatty acid methyl esters (FAME)
metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 481–485
fibers
indoor airborne levels in residential and commercial buildings, 794–799
synthetic vitreous fibers, NIOSH method 7400, A and B counting rules, exposure assessment with, 526–531
Fick's first law
low vapor pressure compounds, permeation sampling, feasibility of, 198–199
field studies
benzene, PBPK modeling, old occupational exposure studies, 259–265
bitumen fume exposure, laboratory design for study of, comparisons with, 187–190
coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
hazardous waste cleanup incident trends, 666–672
1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 305–308
lead-based paint (LBP), testing technologies, EPA/HUD field study, 444–451
oil mist concentration measurement, comparison of sampling methods, 684–689
filters
activated carbon, ozone removal at PPB level, 589–599
holder design, bypass leakage in cyclone elutriators, 545–547
oil mist concentration measurement, comparison of sampling methods, 684–689
penetration of, N95 respirator models, simulated workplace performance, 618–623
finger motion
finger electromyography, typing force and key-switch stiffness, 762–769
fire suppression
trifluoroiodomethane (CF_3I), exposure studies, 403–407
first-aid procedures
skin exposure to chloroform, 14
fit factors
air-supplied blouse and air hood, 116–119
N95 respirator models, simulated workplace performance, 618–623
respirator fit factor performance during sweating, 84–88
respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
fixture design guidelines
ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 220–227
flame atomic absorption (FAA) spectrometry
dust wipe sampling, lead exposure studies, 326–332
flame ionization detector (FID)
benzene measurement, workplace sampling and analysis, 49–54
flow velocity measurements
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 305–308
impinger collection efficiency for submicron particles, 540–543
ventilation systems, power loss coefficients and static pressures, investigation of, 370–376
fluid intake and replacement
fluid replacement preferences, heat-exposed workers, 747–750
fluorescence detection
isocyanate area sampling and analysis, workplace air, 200–206
fluorescent microscopy (FM)
exposure monitoring in refuse-derived fuel (RFD) plants, 679–682
fluorocarbon 113
exposure monitoring in airflow clean rooms, 486–494
foam samplers
respirable samplers, laboratory performance comparisons of, 601–611
formaldehyde
respiratory protection standard in hospitals, OSHA compliance guidelines, 231–233
Freon-113 exposures
monitoring in airflow clean rooms, 486–494
respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
frequency response functions
whole-body vibration in locomotive engineers, 409–411
friction analysis
hand truck delivery operations, ergonomic evaluation of trucks and ramps, 27–31
friction coefficient
hand trucks and ramps, ergonomic evaluation, 22–31
frozen gel packets
protective clothing, ice-cooling techniques, 99–103
full-shift sampling techniques
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 648–650
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
review of exposure determinants during, 66
fume generation
bitumen fume exposure, laboratory design for study of, 183–190
fuming index
bitumen fume exposure, laboratory design for study of, 186–190
fungi
bioaerosol and fungal concentrations in bakeries, 317–325
fungicide exposure
fruit growing fungicides, re-entry time as skin exposure predictor, 789–793

G

gas analyzers
air-supplied blouse and air hood evaluation, 116–119
trifluoroiodomethane (CF_3I), exposure studies, 403–407
gas chromatography (GC)
benzene measurement, workplace sampling and analysis, 49–54
glycol compounds in theatrical smokes, sampling and analysis, 452–457
passive sampling for aldehydes, 463–472
skin uptake of chloroform, 441–443
tetrahydrofuran, biological monitoring, PBPK modeling, 242–247
gas emissions
diesel exhausts, electric utility employees exposure studies, 636–639
helium tracer evaluation of, 354–362
nitrous oxide exposure, passive sampling and head space analysis, 458–461

ozone, activated carbon filters for removal of, at PPB level, 589–599
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
trifluoroiodomethane (CF_3I), exposure studies, 403–407
gender-based ergonomics
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
geometric calculations
bioaerosol and fungal concentrations in bakeries, variabilities in, 317–325
coke oven emissions, exposure assessment of workers, 107–109
cyclone samplers, aerosol penetration in, 720–728
environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
exposure monitoring in refuse-derived fuel (RFD) plants, 679–682
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 307–308
lead-based paint exposure studies in inner-city high schools, 191–199
magnetic field exposure, uranium enrichment plants, mortality studies, 818–824
N95 respirator models, simulated workplace performance, 618–623
organic solvents, short-term indoor exposure, within-shift variability, 17–21
pulp and paper industry, occupation exposure studies, nonproduction departments, 76–82
respirable samplers, laboratory performance comparisons of, 601–611
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
thorium exposure in tungsten welding electrodes, 386–389
wood processing, dust exposure studies, 641–645
global economics
occupational and environmental hygiene issues and, 436–437
glutaraldehyde disinfectants
biohazardous materials, testing protocols for impact biomechanics research, 633–634
glycol compounds
air sampling and analysis, theatrical smokes, 452–457
grab sampling devices
benzene measurement, workplace sampling and analysis, 42–45, 48–54
low vapor pressure compounds, permeation sampling, feasibility of, 195–199
gravimetric analysis
oil mist concentration measurement, comparison of sampling methods, 684–689
Guillemin, Michel P., (William P. Yant award lecture), 432–437
Guthion pesticide
agricultural workers exposure in apple orchards, 752–760

H

half-life time
fungicide exposure, re-entry time as exposure predictor, 789–793
HAM aerosol monitors
coal dust measurement, Miniram PDM-3 aerosol monitor, comparisons of, 507–512
hand forces. *See also* wrist motion
ergonomic assessment, electric utility workers, tools for, 779–784
hand truck delivery operations, truck and ramp ergonomics, 22–31
handheld unit stand design
microwave emissions monitoring of police radar, 772–776
hand trucks
delivery operations, ergonomic evaluation, 22–31
Hansen-Fackler constants
water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 734–736
hay preservatives
airborne microflora in dairy farms, 89–94
hazardous chemicals
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
respiratory protection standard in hospitals, OSHA compliance guidelines, 231–233
hazardous waste cleanup
incident trends for, 666–672
head space air analysis
nitrous oxide exposure, passive sampling and head space analysis, 458–461
Health and Safety Executive (U.K.)
physiologically based pharmacokinetic modeling (PBPK) and toxicokinetics, biological monitoring, 241
health care work environments
respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
health products
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
health risks in work environments
benzene measurement, workplace sampling and analysis, 38–45, 41–45, 48–54
bites and itching in word processing departments, 310–315
correlation of social and scientific issues in occupational hygiene, 432–437
ergonomic assessment of electric utility workers, tools for, 779–784
exposure monitoring in refuse-derived fuel (RFD) plants, 679–682
finger electromyography, typing force and key-switch stiffness, 762–769
fluid replacement preferences, heat-exposed workers, 747–750, 748–750
glycol compounds in theatrical smokes, sampling and analysis, 452–457
hazardous waste cleanup incident trends, 666–672
lead-based paint exposure studies in inner-city high schools, 191–199
magnetic field exposure, electric utility workers, measurement strategies, 713–718
magnetic field exposure, uranium enrichment plants, mortality studies, 818–824
metalworking fluids (MWF), biological components, monitoring of time and use changes, pilot study, 480–485
metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
methyl methacrylate (MMA) exposure in dental technicians, 625–628
noise exposure studies in construction industry, 807–816
ozone, activated carbon filters for removal of, at PPB level, 589–599
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
respirable cyclone samplers, aerosol penetration in, 723–728
VDT-induced electromagnetic radiation, shielding devices, 111–115
ventilation systems, material safety data sheets (MSDS) specifications, adequacy of, 377–383
wood processing, dust exposure studies, 641–645
hearing loss
noise exposure studies in construction industry, 807–816
hearing protection devices (HPDs)
noise exposure studies in construction industry, 815–816
heart rate monitoring
heat stress and strain in aluminum smelters, 659–665
physiological responses to PBVP protective clothing, 495–500
heat stress
in aluminum smelters, 659–665
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
fluid replacement preferences, heat-exposed workers, 747–750
ice cooling systems in protective clothing, 96–103
protective clothing, thermal characteristics, heat stress analysis with, 32–37
Questemp II personal heat strain monitor, low-to-moderate heat stress, body temperature predictions, 801–806
helium tracers
gaseous emissions evaluation with, 354–362
hepatitis B virus (HBV)
biohazardous materials, testing protocols for impact biomechanics research, 629–634
1,6-Hexamethylene diisocyanate (HDI)
vapor/aerosol sampling, 737–745
high-efficiency particulate air (HEPA) filters
in-place filter testing geometry, 300–308
ozone, activated carbon filters for removal of, at PPB level, 589–599
high-performance liquid chromatography (HPLC)
aldehydes, passive sampling for, 471–472
isocyanate area sampling and analysis, workplace air, 200–206
horizontal laminar airflow (HLAF)
fluorocarbon 113 monitoring in airflow clean rooms, 486–494
horizontal to vertical traverse mean velocities
pitot traverses, ideal conditions *vs.* downstream from obstruction, 171–173
hospitals
respiratory protection standard, OSHA compliance guidelines, 228–233
Housing and Urban Development (HUD)
dust wipe sampling, lead exposure studies, 327–332
lead-based paint exposure studies in inner-city high schools, 191–199
lead-based paint (LBP), testing technologies, EPA/HUD field study, 444–451
HUD. *See* Housing and Urban Development (HUD)
human data analysis
metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 481–485
trifluoroiodomethane (CF_3I), exposure studies, 403–407
human immunodeficiency virus (HIV)
biohazardous materials, testing protocols for impact biomechanics research, 629–634
hydration mechanisms
borate compounds, occupational environments, measurement issues concerning, 651–658
hydrocarbon composition
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
hypohydration
fluid replacement preferences, heat-exposed workers, 748–750
hypoventilation
respirator inspiratory resistance levels, constant load treadmill work performance, 474–478

I

ice-cooling techniques
protective clothing, 96–103
impinger design
submicron particles, impinger collection efficiency, 540–543

incentive-based compliance
environmental politics and, 587–588
incident rates
hazardous waste cleanup incident trends, 666–672
inclusion criterion for epidemiology studies
secondary exposure misclassification, impact on occupational epidemiological studies, 179–181
indoor air quality (IAQ)
bites and itching in word processing departments, 310–315
indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
ozone, activated carbon filters for removal of, at PPB level, 589–599
inductively-coupled argon plasma, atomic emission spectroscopy (ICP-AE)
borate compounds, occupational environments, measurement issues concerning, 656–658
inductively-coupled plasma-atomic emission spectrometry (ICP) techniques
dust wipe sampling, lead exposure studies, 326–332
industrial exhaust systems
power loss coefficients and static pressures, investigation of, 367–376
industrial hygiene
environmental politics and, 586–588
synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison with other standards, 529–531
ventilation systems, material safety data sheets (MSDS) specifications, adequacy of, 377–383
infectious disease transmission
biohazardous materials, testing protocols for impact biomechanics research, 629–634
ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 219–227
infrared analysis
crystalline silica measurement, analytical methods, review of, 398–401
fluorocarbon 113 monitoring in airflow clean rooms, 486–494
silica variability, 533–538
inhalable aerosol sampling
borate compounds, occupational environments, measurement issues concerning, 651–658
weighing accuracy of IOM and CIS inhalable samplers, 235–236
inhalation exposure guidelines
trifluoroiodomethane (CF_3I), exposure studies, 403–407
ventilation systems, material safety data sheets (MSDS) specifications, adequacy of, 377–383
wood processing, dust exposure studies, 641–645
inhalation validation data
benzene, PBPK modeling, old occupational exposure studies, 259–265
benzene, pharmacokinetic modeling of, 249–258
environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 336–338
respirator inspiratory resistance levels, constant load treadmill work performance, 474–478
injury analysis
ergonomic assessment, electric utility workers, tools for, 779–784
hazardous waste cleanup incident trends, 666–672
in-place filter testing
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty, 300–308
insecticides
animal insecticide exposures, application studies, 208–211
inspection procedures
respiratory protection standard in hospitals, OSHA compliance guidelines, 228–233
inspiratory resistance
respirator levels of, constant load treadmill work performance, 474–478
instantaneous ratios
gas emissions, helium tracer evaluation, 357–362
Institute of Occupational Medicine (IOM)
inhalable samplers, weighing accuracy of, 235–236
integrated sampling devices
benzene measurement, workplace sampling and analysis, 42–45, 48–54, 585(LTE)*
interlaboratory precision parameters
silica variability, PAT testing, 534–538
International Agency for Research on Cancer (IARC)
pulp and paper industry, occupation exposure studies, nonproduction departments, 73–82
International Organization for Standardization (ISO)
respirable convention, respirable samplers, laboratory performance comparisons of, 601–611
sweat rate standard, protective clothing, thermal characteristics, heat stress analysis with, 32–37
intralaboratory precision parameters
silica variability, PAT testing, 534–538
IOM. *See* Institute of Occupational Medicine
irradiation values
ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 225–227
ISO 2631/1
whole-body vibration in locomotive engineers, 409–411
isocyanates
area sampling and analysis, workplace air, 200–206
1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
impinger collection efficiency for submicron particles, 540–543
isoirradiance diagrams
ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 224–227
isothermic analysis
water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 730–736
isotopic analysis
thorium exposure in tungsten welding electrodes, 388–389
itching symptoms
investigation of, in word processing departments, 310–315

J

jet engine nacelles
trifluoroiodomethane (CF_3I), exposure studies, 403–407
jet milling process
borate compounds, occupational environments, measurement issues concerning, 651–658
job duration
secondary exposure misclassification, impact on occupational history studies, 175–181
joinery industry
wood processing, dust exposure studies, 641–645

K

Karasek and Theorell model
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
keyboarding ergonomics
finger electromyography, typing force and key-switch stiffness, 762–769
wrist posture and adjustable keyboard use, 340–348
K X-ray energy
lead-based paint (LBP) testing technologies, EPA/HUD field study, 445–451

L

laboratory design and performance
biohazardous materials, testing protocols for impact biomechanics research, 629–634
bitumen fume exposure, laboratory design for study of, 183–190
oil mist concentration measurement, comparison of sampling methods, 684–689
pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
respirable sampler comparisons, 601–611
silica variability, PAT testing, 533–538
lactic acid bacteria
airborne microflora in dairy farms, 89–94
lead-based paint (LBP)
exposure studies in inner-city high schools, 191–199
testing technologies, EPA/HUD field study, 444–451
lead exposure studies
dust wipe sampling procedures, 326–332
leukemia risk assessment
benzene measurement, workplace sampling and analysis, 38–45, 41–45, 48–54
hazardous waste cleanup incident trends, 666–672
magnetic field exposure, electric utility workers, measurement strategies, 713–718
metalworking fluids (MWF), biological components, monitoring of time and use changes, pilot study, 480–485
metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
uranium enrichment plants, mortality studies, 818–824
VDT-induced electromagnetic radiation, shielding devices, 111–115
wood processing, dust exposure studies, 641–645
levels of detection (LOD)
indoor airborne levels of vitreous fibers in residential and commercial buildings, 798–799
lifelong job profiles
secondary exposure misclassification, impact on occupational history studies, 175–181
lifting motions
ergonomic assessment, electric utility workers, tools for, 779–784
light-scattering analysis
oil mist concentration measurement, comparison of sampling methods, 684–689
limits of detection (LOD). *See* detection limits
limits of quantitation (LOQ)
glycol compounds in theatrical smokes, sampling and analysis standards, 455–457
lindane
low vapor pressure compounds, permeation sampling, feasibility of, 195–199
linear regression model coefficients
noise exposure studies in construction industry, 813–816
literature review
benzene measurement, workplace sampling and analysis, 40–41, 49
crystalline silica measurement, analytical methods, review of, 399–401
livestock
animal insecticide exposures, application studies, 208–211
load analysis
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
hand truck delivery operations, ergonomic evaluation of trucks and ramps, 22–31
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
locomotive engineers
whole-body vibration in, 409–411
logging industry
wood processing, dust exposure studies, 641–645
logical reasoning (LOG)

respirator wear and exercise, cognitive performance and mood analysis, 213–217
lowest observable adverse effect level (LOAEL)
trifluoroiodomethane (CF_3I), exposure studies, 403–407
low frequency (LF) ranges
VDT-induced electromagnetic radiation, shielding devices, 113–115
low vapor pressure compounds
permeation sampling, feasibility of, 195–199
Lumbar Motion Monitor (LMM)
ergonomic assessment, electric utility workers, 777–784
L X-ray energy, lead-based paint (LBP) testing technologies
EPA/HUD field study, 445–451

M

MacReflex Three-Dimensional Motion Analysis System
adjustable keyboard use and wrist posture, musculoskeletal disorders, 342–348
magnetic dipole moments
VDT-induced electromagnetic radiation, shielding devices, 115
magnetic field exposure
electric utility industry, measurement strategies, 713–718
extremely low frequency (ELF) exposure, personal exposure meter (PEM) monitoring, placement comparisons in exposure studies, 647–650
extremely low frequency (ELF) exposure, VDT-induced electromagnetic radiation, shielding devices, 112–115
uranium enrichment plants, mortality studies, 818–824
magnetic flux density measurements, personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
male workers
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
man-made vitreous fibers (MMVF). *See* fibers
Mann-Whitney test
methyl methacrylate (MMA) exposure in dental technicians, 626–628
manometric measurements
pitot traverses, ideal conditions *vs.* downstream from obstruction, 167–173
mask design
anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
N95 respirator models, simulated workplace performance, 618–623
respirator fit factor performance during sweating, 84–88
respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
respirator inspiratory resistance levels, constant load treadmill work performance, 475–478
Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
mass median aerosol diameter (MMAD)
coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
thorium exposure in tungsten welding electrodes, 386–389
material safety data sheets (MSDS)
ventilation systems, adequacy of specifications in, 377–383
mathematical modeling
ventilation systems, adequacy of specifications in MSDS, assessment of, 377–383
maximal oxygen consumption
respirator inspiratory resistance levels, constant load treadmill work performance, 475–478
maximum power density measurements
microwave emissions monitoring of police radar, 774–776
maximum voluntary contraction (MVC) analysis
finger electromyography, typing force and key-switch stiffness, 764–769
mean magnetic field measurements personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 648–650
mean square error (MSE) analysis respirable samplers, laboratory performance comparisons of, 601–611
mechanical-related incidents
hazardous waste cleanup incident trends, 669–672
Mecklenberg equation
water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 735–736
metabolic rates
benzene, pharmacokinetic modeling of, 251–258
heat stress analysis, protective clothing ensembles, 32–37
heat stress and strain in aluminum smelters, 660–665
psychosocial work conditions and physical work load, male- and female-dominated occupations, 674–677
metalworking fluids (MWF)
biological components, monitoring of time and use changes, pilot study, 480–485
leakage evaluation with tracer gas, 785–788
oil mist concentration measurement, comparison of sampling methods, 684–689
9-N-Methylamino-methylanthracene (MAMA)
1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
methyl methacrylate (MMA)
exposure to, in dental technicians, 625–628
Michaelis-Menten kinetics
benzene, pharmacokinetic modeling of, 251–258
microbiological contaminants
metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 480–485
microwave radiation
emissions monitoring in police radar, 770–776
mineralogical analysis
pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
study of mineral fibers, 433–437
synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison with other standards, 529–531
Miniram PDM-3 aerosol monitor
evaluation and field calibration, coal dust measurement, 502–512
mist concentrations
oil mist concentration measurement, comparison of sampling methods, 687–689
mixed compounds
study of, 433–437
modeling techniques
benzene pharmacokinetic modeling, 249–258
environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 335–338
pharmacokinetic modeling, toxicokinetics and, 237–241
respirator fit factor performance during sweating, 86–88
review of exposure determinants, 57–70
tetrahydrofuran, PBPK modeling of, 241–247
trifluoroiodomethane (CF_3I), exposure studies, 404–407
ventilation systems, adequacy of specifications in MSDS, assessment of, 377–383
Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
moisture comfort level (MCMF)
protective clothing, ice-cooling techniques, 99–103
moisture parameters. *See* relative humidity
mold cultures
airborne microflora in dairy farms, 89–94
monomer studies
isocyanate area sampling and analysis, workplace air, 205–206
mood analysis
respirator wear during exercise and, 213–217
mortality studies
magnetic field exposures, uranium enrichment plants, 818–824
motion analysis
adjustable keyboard use and wrist posture, 340–348
ergonomic assessment, electric utility workers, tools for, 779–784
finger electromyography, typing force and key-switch stiffness, 762–769
hand truck delivery operations, ergonomic evaluation of trucks and ramps, 22–31
whole-body vibration in locomotive engineers, 409–411
musculoskeletal disorders
electric utility workers, ergonomic assessment tools, 777–784
finger electromyography, typing force and key-switch stiffness, 762–769
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
wrist posture and adjustable keyboard use, 340–348

N

National Institute for Occupational Safety and Health (NIOSH)
air-supplied blouse and air hood evaluation, 116–119
aldehydes, passive sampling for, diffusive sampler standard, 471–472
benzene measurement, workplace sampling and analysis, 45, 50–54
exposure metric, noise exposure studies in construction industry, 807–816
7400 Fiber method, 794–799
fluorocarbon 113 monitoring in airflow clean rooms, standards evaluation, 486–494
glycol compounds in theatrical smokes, sampling and analysis standards, 452–457
isocyanate area sampling and analysis, workplace air, 200–206
lead-based paint exposure studies in inner-city high schools, 191–199
lifting equation, electric utility workers, ergonomic assessment, 777–784
lifting index, electric utility workers, ergonomic assessment, 777–784
method 5521, impinger collection efficiency for submicron particles, 540–543
method 7400, A and B counting rules, 526–531
method 7500, crystalline silica measurement, analytical methods, review of, 396–401
method 7601, crystalline silica measurement, analytical methods, review of, 396–401
N95 respirator models, simulated workplace performance, 618–623
PAT program and, 163 (LTE)*
respirable samplers, laboratory performance comparisons of, 602–611
respirator certification, 228–233
N95-COMPANION test device
penetration of, N95 respirator models, simulated workplace performance, 623
neat solvents
chloroform, skin exposure studies, 5–14, 438–443

NIOSH. *See* National Institute for Occupational Safety and Health (NIOSH)
NIOSH Manual of Analytical Methods (NMAM)
glycol compounds in theatrical smokes, sampling and analysis standards, 453–457
nitrous oxide
exposure studies, passive sampling and head space analysis, 458–461
NOCL suits
protective clothing, ice-cooling techniques, 96–103
noise analysis
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
noise exposure studies
construction industry, 807–816
nonionizing radiation
microwave emissions monitoring of police radar, 770–776
nonparametric sign rank test
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 648–650
nuclear air cleaning
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 300–308
nursing profession
psychosocial work conditions and physical work load, male- and female-dominated occupations, 674–677

O

observational study design
pulp and paper industry, occupation exposure studies, nonproduction departments, 76–82
review of exposure determinants, 59–70
occupational and environmental hygiene
benzene measurement, workplace sampling and analysis, 38–45, 48–54, 585 (LTE)*
borate measurements, issues concerning, 651–658
pulp and paper industry, occupation exposure studies, nonproduction departments, 73–82
occupational classifications
secondary exposure misclassification, impact on occupational epidemiological studies, 175–181
occupational exposure limits (OELs)
benzene measurement, workplace sampling and analysis, 41–45, 48–54, 585 (LTE)*
comparison of international development of occupational exposure limits, 297 (LTE)*
continued decrease of, ethics concerning, 434–437
physiologically based pharmacokinetic modeling (PBPK) and toxicokinetics, biological monitoring, 241
review of exposure determinants, 57–70
occupational exposure studies
benzene, PBPK modeling, old occupational exposure studies, 259–265
occupational health and safety
correlation of social and scientific issues, 432–437
Occupational Safety and Health Administration (OSHA)
benzene measurement, workplace sampling and analysis, 51–54
exposure metric, noise exposure studies in construction industry, 807–816
fluorocarbon 113 monitoring in airflow clean rooms, standards evaluation, 486–494
policies and regulations, 163 (LTE)*
respiratory protection standard in hospitals, 228–233
ocular stand design
microwave emissions monitoring of police radar, 771–776
office workers
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
oil mist concentration measurement
comparison of sampling methods, 684–689
oligomer studies
isocyanate area sampling and analysis, workplace air, 205–206
opal
crystalline silica measurement, analytical methods, review of, 396–401
optical particle counters
metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
organic compounds
short-term indoor exposure, within-shift variability, 16–21
water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 730–736
Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
organophosphorus pesticide exposure
agricultural workers in apple orchards, 752–760
OSHA. *See* Occupational Safety and Health Administration (OSHA)
oxygenate exposure
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
ozone
activated carbon filters for removal of, at PPB level, 589–599

P

paint testing technologies
1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
lead-based paint (LBP), EPA/HUD field study, 444–451
palatability ratings
fluid replacement preferences, heat-exposed workers, 748–750
particle barrier and vapor permeable clothing (PBVP)
physiological responses to, 495–500
particle dispersion patterns
respirable cyclone samplers, aerosol penetration in, 723–728
particle size distribution
borate compounds, occupational environments, measurement issues concerning, 651–658
environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
impinger collection efficiency for submicron particles, 540–543
respirable samplers, laboratory performance comparisons of, 601–611
thorium exposure in tungsten welding electrodes, 386–389
particulate sampling
bites and itching in word processing departments, 312–315
borate compounds, occupational environments, measurement issues concerning, 651–658
bypass leakage in filter holders, cyclone elutriators, 545–547
cyclone samplers, aerosol penetration in, 720–728
diesel exhausts, electric utility employees exposure studies, 636–639
environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
impinger collection efficiency for submicron particles, 540–543
indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
methyl methacrylate (MMA) exposure in dental technicians, 626–628
pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
refuse-derived fuel (RFD) plants, 679–682
respirable samplers, laboratory performance comparisons of, 601–611
synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison with other standards, 529–531
thorium exposure in tungsten welding electrodes, 386–389
wood processing, dust exposure studies, 641–645
partition coefficients
benzene, pharmacokinetic modeling of, 249–258
tetrahydrofuran, PBPK modeling, 241–247
pass/fail criterion
N95 respirator models, simulated workplace performance, 618–623
passive sampling techniques
aldehydes, 463–472
low vapor pressure compounds, permeation sampling, feasibility of, 195–199
nitrous oxide exposure, passive sampling and head space analysis, 458–461
PAT. *See* Proficiency analytical testing (PAT) program
paving industry
bitumen fume exposure, laboratory design for study of, 186–190
PBPK. *See* physiologically based pharmacokinetic modeling (PBPK)
Pediococcus pentosaceus
bacterial hay treatments, 89–94
penetration testing
cyclone samplers, aerosol penetration in, 720–728
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 305–308
N95 respirator models, simulated workplace performance, 618–623
Penicillium sp.
bioaerosol and fungal concentrations in bakeries, variabilities in, 317–325
PEPC protective clothing
physiological responses to, 495–500
performance evaluation
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 300–308
respirator inspiratory resistance levels, constant load treadmill work performance, 474–478
perfusion rates
benzene, pharmacokinetic modeling of, 249–258
permeation testing
low vapor pressure compounds, feasibility of, 195–199
protective clothing, summary of results, 297, 299 (LTE)*
permissible exposure limits (PELs)
assigned protection factor (APF), validity of, 428–431 (LTE)*
coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 508–512
fluorocarbon 113 monitoring in airflow clean rooms, 486–494
glycol compounds in theatrical smokes, sampling and analysis standards, 453–457
noise exposure studies in construction industry, 808–816
respiratory protection standard in hospitals, OSHA compliance guidelines, 228–233
personal exposure meters (PEMs)
extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
personal heat strain monitor
Questemp II personal heat strain monitor, low-to-moderate heat stress, body temperature predictions, 801–806
pesticide exposure
organophosphorus pesticides, agricultural workers exposure in apple orchards, 752–760
petroleum products

benzene, PBPK modeling, old occupational exposure studies, 260–265
pharmacokinetics
skin uptake of chloroform, 438–443
phase contrast optical microscopy (PCOM)
indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
phenol accumulation
benzene, PBPK modeling, old occupational exposure studies, 260–265
benzene, pharmacokinetic modeling of, 251–258
phenolic disinfectants
biohazardous materials, testing protocols for impact biomechanics research, 633–634
phospholipid fatty acids (PLFA)
metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 480–485
phosphoric acid digestion
crystalline silica measurement, analytical methods, review of, 399–401
photoionization detector (PID)
benzene measurement, workplace sampling and analysis, 49–54
physiologically based pharmacokinetic modeling (PBPK)
benzene, applications to old occupational exposure studies, 259–265
benzene, pharmacokinetic modeling of, 249–258
tetrahydrofuran, biological monitoring of, 241–247
toxicokinetics and, biological monitoring with, 237–241
trifluoroiodomethane (CF_3I), exposure studies, 403–407
pilot studies
metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 481–485
pipe factor (PF)
pitot traverses, ideal conditions *vs.* downstream from obstruction, 172–173
pitot traverses
comparisons of ideal conditions *vs.* downstream from obstruction, 165–173
place-based decision making
environmental politics and, 587–588
pneumoconiosis
in dental technicians, lung tissue mineralogy, 349–353
Poisson statistics
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 304–308
Polanyi potential theory
organic vapor adsorption on activated carbon, relative humidity effects, 731–736
Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 614–617
police radar
microwave emissions monitoring of, 770–776
pollutant emission rate
gas emissions, helium tracer evaluation of, 354–362
pollution prevention
environmental politics and, 587–588
ozone, activated carbon filters for removal of, at PPB level, 589–599
pollution source parameters
gas emissions evaluation, helium tracer for, 355–362
organic solvents, short-term indoor exposure, within-shift variability, 18–21
polycyclic aromatic hydrocarbons (PAHs)
in bitumen fumes, laboratory design for exposure studies, 182–190
coke oven emissions, exposure assessment of workers, 107–109
polyethylene (PE) permeability
low vapor pressure compounds, permeation sampling, feasibility of, 195–199
polystyrene aerosols
impinger collection efficiency for submicron particles, 540–543
polyurethanes
foam (PUF), low vapor pressure compounds, permeation sampling, feasibility of, 195–199
1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
"population" PBPK technique
physiologically based pharmacokinetic modeling (PBPK), toxicokinetics and, biological monitoring with, 237–241
portable indicating devices/indicators
benzene measurement, workplace sampling and analysis, 42–45, 48–54
PortaCount Plus fit-test instrument
penetration of, N95 respirator models, simulated workplace performance, 618–623
postural analysis
adjustable keyboard use and wrist posture, musculoskeletal disorders, 343–348
Powell, Charlie (obituary), 122
power loss coefficients
ventilation systems, experimental investigation of, 367–376
PPPC protective clothing
physiological responses to, 495–500
production factors
organic solvents, short-term indoor exposure, within-shift variability, 20–21
Proficiency Analytical Testing (PAT) Program
current status of, 163 (LTE)*
round 134 report, 123–125
round 135 report, 281–284
round 136 report, 548–549
round 137 report, 549–550, 690
round 138 report, 690–691
silica variability, 533–538
protection factors
air-supplied blouse and air hood evaluation, 116–119
protective clothing
air-supplied blouse and air hood, 116–119
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
animal insecticide exposures, application studies, 208–211
biohazardous materials, testing protocols for impact biomechanics research, 632–634
heat stress and strain in aluminum smelters, 660–665
ice cooling systems, 96–103
particle barrier and vapor permeable ensembles, physiological responses to, 495–500
permeation testing, summary of results, 297, 299 (LTE)*
Questemp II personal heat strain monitor, low-to-moderate heat stress, body temperature predictions, 801–806
thermal characteristics, heat stress analysis with, 32–37
protective equipment
respirators, fit factor performance during sweating, 87–88
respirator wear and exercise, cognitive performance and mood analysis, 213–217
Pseudomonas species
metalworking fluids (MWF), components in, monitoring of time and use changes, pilot study, 480–485
psychological studies
anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
public awareness
of occupational and environmental hygiene, 434–437
public utilities workers. *See* electric utility industry
pulp and paper industry
occupation exposure studies, nonproduction departments, 73–82
wood processing, dust exposure studies, 641–645
pumping factors
heat stress analysis, protective clothing ensembles, 32–37

Q

qualitative fit testing (QLFT)
N95 respirator models, simulated workplace performance, 618–623
quality control
silica variability, PAT testing, 534–538
quantitative fit testing (QNFT)
N95 respirator models, simulated workplace performance, 618–623
respirator fit factor performance during sweating, 85–88
respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
quartz
crystalline silica measurement, analytical methods, review of, 396–401
silica variability and, PAT testing, 533–538
questionnaires
coke emission exposure assessment, 107–109
noise exposure studies in construction industry, 807–816
psychosocial work conditions and physical work load, male- and female-dominated occupations, 674–677

R

radar equipment
microwave emissions monitoring of police radar, 770–776
radial deviation
adjustable keyboard use and wrist posture, ergonomics of, 340–348
radiation studies
microwave emissions monitoring of police radar, 770–776
thorium exposure in tungsten welding electrodes, 384–389
ultraviolet germicidal irradiation (UVGI), upper room air disinfection, device characterization, 219–227
rare earth elements
VDT-induced electromagnetic radiation, active shielding devices, 111–115
rate of perceived exertion (RPE)
physiological responses to PBVP protective clothing, 495–500
recommended exposure limits (RELs)
fluorocarbon 113 monitoring in airflow clean rooms, standards evaluation, 487–494
noise exposure studies in construction industry, 808–816
silica variability and, PAT testing, 533–538
re-entry time parameters
fungicide exposure, re-entry time as exposure predictor, 789–793
refractory ceramic fiber (RCF)
indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison with other standards, 529–531
refuse-derived fuel (RFD) plants
exposure monitoring in, 679–682
regeneration
activated carbon filters for ozone removal, 598–599
regulatory standards
hazardous waste cleanup incident trends, 666–672
relative humidity (RH)
borate compounds, occupational environments, measurement issues concerning, 651–658

ozone, activated carbon filters for removal of, at PPB level, 589–599
passive sampling for aldehydes, 463–472
respirable cyclone samplers, aerosol penetration in, 725–728
water-miscible organic vapor adsorption, activated carbon, 730–736
Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
removal efficiency measurements
activated carbon filters for ozone removal, 594–599
repetitive motion analysis
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
finger electromyography, typing force and keyswitch stiffness, 762–769
wrist posture and adjustable keyboard use, 340–348
reproductive function
fungicide exposure, re-entry time as exposure predictor, 789–793
residential exposure studies
indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison with other standards, 526–531
resistance testing
respirator inspiratory resistance levels, constant load treadmill work performance, 474–478
respirable aerosol monitors
metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
respirable combustible dust (RCD) sampling, diesel exhausts, electric utility employees exposure studies, 636–639
respirable samplers
cyclone samplers, aerosol penetration in, 720–728
laboratory performance comparisons of, 601–611
respirators
air-supplied blouse and air hood evaluation, 116–119
anxiety about, prediction of respiratory distress during physical exercise, role of, 512–517
assigned protection factor (APF), validity of, 428–431 (LTE)*
cognitive performance and mood during wear and exercise with, 213–217
coke oven emissions, exposure assessment of workers, 108–109
fit factor performance during sweating, 84–88
fit-test techniques, validation of actual exposure data in simulated environments, 363–366
inspiratory resistance levels, constant load treadmill work performance, 474–478
N95 respirator models, simulated workplace performance, 618–623
respirable coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
respiratory protection standard in hospitals, OSHA compliance guidelines, 228–233
thorium exposure in tungsten welding electrodes, 386–389
Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
respiratory tract
anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
environmental tobacco smoke (ETS) deposition of submicrometer particulates in, 334–338
metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
methyl methacrylate (MMA) exposure in dental technicians, 625–628
pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
risk communication programs
respiratory protection standard in hospitals, OSHA compliance guidelines, 233
$1/R^3$ law
VDT-induced electromagnetic radiation, shielding devices, 111–115
roofing industry
bitumen fume exposure, laboratory design for study of, 186–190

S

Saccharopolyspora rectivirgula
airborne microflora in dairy farms, 89–94
safety procedures and analysis
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
biohazardous materials, testing protocols for impact biomechanics research, 629–634
correlation of social and scientific issues in occupational hygiene, 432–437
hand truck delivery operations, truck and ramp ergonomics, 22–31
hazardous waste cleanup incident trends, 666–672
heat stress and strain in aluminum smelters, 660–665
Questemp II personal heat strain monitor, low-to-moderate heat stress, body temperature predictions, 801–806
skin exposure to chloroform, 14
ventilation systems, material safety data sheets (MSDS) specifications, adequacy of, 377–383
sampling procedures
airborne microflora in dairy farms, 89–94
benzene, PBPK modeling, old occupational exposure studies, 259–265
benzene measurement, workplace sampling and analysis, 38–45, 48–54
bioaerosol and fungal concentrations in bakeries, variabilities in, 317–325
bitumen fume exposure, laboratory design for study of, 188–190
coke oven emissions, exposure assessment of workers, 105–109
cyclone samplers, aerosol penetration in, 720–728
diesel exhausts, electric utility employees exposure studies, 635–639
dust wipe sampling, lead exposure studies, 326–332
exposure monitoring in refuse-derived fuel (RFD) plants, 680–682
gas emissions, helium tracer evaluation, 361–362
glycol compounds in theatrical smokes, sampling and analysis techniques, 452–457
1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
isocyanate area sampling and analysis, workplace air, 200–206
lead-based paint exposure studies in inner-city high schools, 192–199
lead-based paint (LBP) testing technologies, EPA/HUD field study, 444–451
low vapor pressure compounds, permeation sampling, feasibility of, 195–199
magnetic field exposure, electric utility workers, measurement strategies, 713–718
microwave emissions monitoring of police radar, 773–776
nitrous oxide exposure, passive sampling and head space analysis, 458–461
oil mist concentration measurement, comparison of methods, 684–689
organic solvents, short-term indoor exposure, within-shift variability, 17–21
organophosphorus pesticides, agricultural workers exposure in apple orchards, 752–760
physiologically based pharmacokinetic modeling (PBPK), toxicokinetics and, biological monitoring with, 237–241
respirator fit factor performance during sweating, 85–88
review of exposure determinants, 57–70
silica variability, PAT testing, 533–538
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
tetrahydrofuran, biological monitoring, PBPK modeling, 242–247
thorium exposure in tungsten welding electrodes, 385–389
weighing accuracy of IOM and CIS inhalable samplers, 235–236
sawmills
wood processing, dust exposure studies, 641–645
scanning electron microscopy (SEM)
ozone, activated carbon filters for removal of, at PPB level, 594–599
scanning electron microscopy with energy-dispersive X-ray microanalysis (SEM-EDX)
indoor airborne levels of vitreous fibers in residential and commercial buildings, 794–799
scanning mobility particle sizer (SMPS) environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 336–338
Scarlett, Lynn (commentary), 586–588
seat design
whole-body vibration in locomotive engineers, 409–411
secondary exposure effects
environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
misclassification of, investigation of impact on occupational history, 175–181
semivolatile collection
bitumen fume exposure, laboratory design for study of, 184–190
separation efficiency
cyclone samplers, aerosol penetration in, 723–728
serial addition/substraction (ADD)
respirator wear and exercise, cognitive performance and mood analysis, 213–217
serial reaction (SER)
respirator wear and exercise, cognitive performance and mood analysis, 213–217
sex-related work differences
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
sharpening of electrodes
thorium exposure in tungsten welding electrodes, 385–389
shielding devices
VDT-induced electromagnetic radiation, 111–115
shift sampling techniques
coke oven emissions, exposure assessment of workers, 109
exposure determinants during full-shifts, 66
magnetic field exposure, electric utility workers, within-day variability, 713–718
physiological responses to PBVP protective clothing, 495–500
whole-body vibration in locomotive engineers, 409–411
short-term exposure limits (STELs)
benzene measurement, workplace sampling and analysis, 41–45, 52–54, 585 (LTE)*
diesel exhausts, electric utility employees exposure studies, 636–639
fluorocarbon 113 monitoring in airflow clean rooms, 486–494
organic solvents, short-term indoor exposure, within-shift variability, 20–21
short-term measurements
magnetic field exposure, electric utility workers, measurement strategies, 713–718

silica particles
  crystalline silica, measurement, analytical methods, review of, 396–401, 585 (LTE)*
  pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
  proficiency analytical testing (PAT), variability, 533–538
skin adsorption
  animal insecticide exposures, application studies, 208–211
  chloroform uptake, 5–14, 438–443
  fungicides in fruit growing, re-entry time as skin exposure predictor, 789–793
skin uptake
  benzene, PBPK modeling, old occupational exposure studies, 260–265
  benzene, pharmacokinetic modeling of, 258
  bites and itching in word processing departments, 310–315
  chloroform (neat liquid), 5–14, 438–443
smelting industry
  heat stress and strain in aluminum smelters, 659–665
smoke tubes
  metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
smoking patterns of workers
  environmental tobacco smoke (ETS), deposition of submicrometer particulates in respiratory tract, 334–338
  secondary exposure misclassification, impact on occupational epidemiological studies, 175–181
solvents
  benzene measurement, workplace sampling and analysis, 50–54
  chloroform, skin exposure studies, neat solvents, 5–14, 438–443
  desorption analysis, benzene measurement, workplace sampling and analysis, 50–54
  gas emissions from, helium tracer evaluation, 354–362
  isocyanate area sampling and analysis, workplace air, 202–206
  organic solvents, short-term indoor exposure, within-shift variability, 16–21
sound level meter (SLM)
  noise exposure studies in construction industry, 808–816
source-oriented sampling
  review of exposure determinants, 66
Spearman coefficient
  animal insecticide exposures, application studies, 210–211
speed parameters
  respirator inspiratory resistance levels, constant load treadmill work performance, 475–478
  whole-body vibration in locomotive engineers, 409–411
spray paints
  1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
standard reference material (SRM) parameters
  dust wipe sampling, lead exposure studies, 327–332
standards development
  comparison of international development of occupational exposure limits, 297 (LTE)*
  glycol compounds in theatrical smokes, sampling and analysis standards, 452–457
  lead-based paint (LBP) testing technologies, EPA/HUD field study, 444–451
  microwave emissions monitoring of police radar, 771–776
  NIOSH method 7400, A and B counting rules, synthetic vitreous fibers exposure assessment with, 526–531
  respiratory protection standard in hospitals, OSHA compliance guidelines, 228–233
  sweat rate standard, protective clothing, thermal characteristics, heat stress analysis with, 32–37
  ultraviolet germicidal irradiation (UVGI), upper room air disinfection, device characterization, 219–227
State-Trait Anxiety Inventories
  anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
  respirator wear and exercise, cognitive performance and mood analysis with, 215–217
static pressure ratios
  ventilation systems, experimental investigation of, 367–376
statistical analysis
  adjustable keyboard use and wrist posture, ergonomics of, 340–348
  airborne microflora in dairy farms, 91–94
  animal insecticide exposures, application studies, 210–211
  bioaerosol and fungal concentrations in bakeries, variabilities in, 317–325
  coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
  coke oven emissions, exposure assessment of workers, 107–109
  cyclone elutriator filter holders, quantification of bypass leakage, 545–547
  cyclone samplers, aerosol penetration in, 720–728
  diesel exhausts, electric utility employees exposure studies, 636–639
  dust wipe sampling, lead exposure studies, 328–332
  exposure monitoring in refuse-derived fuel (RFD) plants, 680–682
  fluid replacement preferences, heat-exposed workers, 748–750
  fluorocarbon 113 monitoring in airflow clean rooms, 486–494
  fungicide exposure, re-entry time as exposure predictor, 789–793
  hazardous waste cleanup incident trends, 666–672
  lead-based paint exposure studies in inner-city high schools, 192–199
  lead-based paint (LBP) testing technologies, EPA/HUD field study, 444–451
  magnetic field exposure, electric utility workers, measurement strategies, 713–718
  magnetic field exposure, uranium enrichment plants, mortality studies, 818–824
  noise exposure studies in construction industry, 807–816
  organophosphorus pesticides, agricultural workers exposure in apple orchards, 752–760
  personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 648–650
  pitot traverses, ideal conditions *vs.* downstream from obstruction, 170–173
  protective clothing, ice-cooling techniques, 99–103
  Questemp II personal heat strain monitor, low-to-moderate heat stress, body temperature predictions, 801–806
  respirable samplers, laboratory performance comparisons of, 601–611
  respirator fit factor performance during sweating, 86–88
  respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
  respirator inspiratory resistance levels, constant load treadmill work performance, 474–478
  respirator wear and exercise, cognitive performance and mood analysis, 215–217
  review of exposure determinants, 57–70
  secondary exposure misclassification, impact on occupational epidemiological studies, 175–181
  skin uptake of chloroform, 441–443
  tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
  VDT-induced electromagnetic radiation, shielding devices, 111–115
  ventilation systems, power loss coefficients and static pressures, investigation of, 373–376
  whole-body vibration in locomotive engineers, 409–411
  wood processing, dust exposure studies, 641–645
steady-state flux
  low vapor pressure compounds, permeation sampling, feasibility of, 199
stratum corneum
  chloroform uptake, 5–14, 438–443
stress models
  anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
study design
  correlation of social and scientific issues in occupational hygiene, 433–437
  crystalline silica measurement, analytical methods, review of, 396–401
  hazardous waste cleanup incident trends, 666–672
  lead-based paint (LBP), testing technologies, EPA/HUD field study, 444–451
  magnetic field exposure, electric utility workers, measurement strategies, 713–718
  microwave emissions monitoring of police radar, 771–776
  personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
  review of exposure determinants, 57–70
  ventilation systems, power loss coefficients and static pressures, investigation of, 367–376
subjective discomfort analysis
  finger electromyography, typing force and key-switch stiffness, 764–769
submicron particles
  impinger collection efficiency for, 540–543
sulfur hexafluoride tracer gas test
  metalworking fluids (MWF), leakage evaluation with, 785–788
surface property analysis
  ozone, activated carbon filters for removal of, at PPB level, 594–599
sweat rate analysis
  protective clothing
    ice-cooling techniques, 99–103
    physiological responses to PBVP protective clothing, 495–500
    thermal characteristics, heat stress analysis, ISO standard for, 32–37
  respirator fit factor performance, 84–88
systemic accumulation
  skin uptake of chloroform in hairless rats, evaporation *vs.*, 11–14

T

tank truck drivers
  gasoline vapor exposure during loading and unloading, 518–524
tape stripping
  skin uptake of chloroform, 5–14, 438–443
tare-weight variations
  weighing accuracy of IOM and CIS inhalable samplers, 236
task analysis
  animal health products, premixing and compounding processes, ergonomic analysis, 390–395
  animal insecticide exposures, application studies, 208–211
  benzene, PBPK modeling, old occupational exposure studies, 260–265
  ergonomic assessment, electric utility workers, tools for, 779–784
  exposure monitoring in refuse-derived fuel (RFD) plants, 679–682
  hazardous waste cleanup incident trends, 666–672
  heat stress and strain in aluminum smelters, 660–665

magnetic field exposure, uranium enrichment plants, mortality studies, 818–824
noise exposure studies in construction industry, 812–816
respirator inspiratory resistance levels, constant load treadmill work performance, 474–478
tetrahydrofuran, biological monitoring, PBPK modeling, 242–247
task-specific sampling
review of exposure determinants, 66–67
temperature effects
aldehydes, passive sampling for, 468–472
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
borate compounds, occupational environments, measurement issues concerning, 651–658
heat stress and strain in aluminum smelters, 659–665
physiological responses to PBVP protective clothing, 495–500
pitot traverses, ideal conditions *vs.* downstream from obstruction, 167–173
protective clothing, ice-cooling techniques, 97–103
testicular stand design
microwave emissions monitoring of police radar, 771–776
testing protocols
biohazardous materials, testing protocols for impact biomechanics research, 629–634
testing technologies
lead-based paint (LBP), EPA/HUD field study, 444–451
tetrahydrofuran
biological monitoring, PBPK modeling, 241–247
theatrical fogging agents
glycol compounds in, sampling and analysis, 452–457
theoretical exposure levels
distribution of, secondary exposure misclassification, impact on occupational epidemiological studies, 175–181
thermal analysis
crystalline silica measurement, analytical methods, review of, 399–401
desorption analysis, benzene measurement, workplace sampling and analysis, 51–54
impinger collection efficiency for submicron particles, 540–543
protective clothing, heat stress analysis, 32–37
protective clothing, ice-cooling techniques, 99–103
thermal comfort level (TCMF)
protective clothing, ice-cooling techniques, 99–103
thermal-optical technology
diesel exhausts, electric utility employees exposure studies, 635–639
thermoregulation mechanisms
fluid replacement preferences, heat-exposed workers, 747–750
thorium
exposure in tungsten welding electrodes, 384–389
three-dimensional emission profiles
ultraviolet germicidal irradiation (UVGI), upper room air disinfection, device characterization, 219–227
Three-dimensional Static Strength Prediction Program (3D SSPP)
ergonomic assessment, electric utility workers, 777–784
threshold limit values (TLVs) (ACGIH). *See also* short-term exposure limits
benzene, PBPK modeling, old occupational exposure studies, 259–265
benzene measurement, workplace sampling and analysis, 38–45, 48–54
borate compounds, occupational environments, measurement issues concerning, 658
coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 508–512
diesel exhausts, electric utility employees exposure studies, 635–639
glycol compounds in theatrical smokes, sampling and analysis standards, 453–457
passive sampling for aldehydes, 463–472
pulp and paper industry, occupation exposure studies, nonproduction departments, 74–82
ventilation systems, MSDS specifications, adequacy of, 379–383
tetrahydrofuran, biological monitoring, PBPK modeling, 241–247
ventilation system specifications, MSDS, adequacy of
time-weighted averaging (TWA)
animal insecticide exposures, application studies, 208–211
benzene measurement, workplace sampling and analysis, 41–45, 48–54
fluorocarbon 113 monitoring in airflow clean rooms, 486–494
heat stress and strain in aluminum smelters, 659–665
magnetic field exposure, electric utility workers, measurement strategies, 713–718
methyl methacrylate (MMA) exposure in dental technicians, 625–628
nitrous oxide exposure, passive sampling and head space analysis, 458–461
noise exposure studies in construction industry, 807–816
organic solvents, short-term indoor exposure, within-shift variability, 16–21
passive sampling for aldehydes, 463–472
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
psychosocial work conditions and physical work load, male- and female-dominated occupations, 674–677
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
tetrahydrofuran, biological monitoring, PBPK modeling, 241–247
TLVs. *See* Threshold limit values (TLVs)
tolylfluanid
fungicide exposure, re-entry time as exposure predictor, 789–793
total evaporative resistance
protective clothing, thermal characteristics, heat stress analysis, 36–37
total particulate matter (TPM)
bitumen fume exposure, laboratory design for study of, 183–190
total particulate (TP) analysis
coke oven emissions, exposure assessment of workers, 105–109
total coal dust measurement, Miniram PDM-3 aerosol monitor, evaluation and field calibration, 502–512
total penetration parameters
N95 respirator models, simulated workplace performance, 618–623
total reactive isocyanate group (TRIG)
1,6-Hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
toxicokinetics
physiologically based pharmacokinetic modeling (PBPK) and, biological monitoring with, 237–241
tracer gas analysis
gas emissions evaluation, helium tracer for, 354–362
metalworking fluids (MWF), leakage evaluation with, 785–788
trait anxiety
respiratory distress during physical exercise, prediction and role of, 512–517
transfer coefficient
gas emissions, helium tracer evaluation of, 354–362
treadmill exercise data
anxiety about respirators, prediction of respiratory distress during exercise, role of, 512–517
protective clothing, ice-cooling techniques, 99–103
respirator fit factor performance during sweating, 86–88
respirator inspiratory resistance levels, constant load treadmill work performance, 474–478
respirator wear and, cognitive performance and mood analysis using, 213–217
trucking. *See also* hand trucks
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
tryptamine concentrations
isocyanate area sampling and analysis, workplace air, 203–206
tuberculosis
respiratory protection standard in hospitals, OSHA compliance guidelines, 228–233
ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 219–227
tungsten compounds
thorium exposure in tungsten welding electrodes, 384–389

U

ulnar deviation
adjustable keyboard use and wrist posture, ergonomics of, 340–348
ultraviolet germicidal irradiation (UVGI)
upper room air disinfection using, 219–227
ultraviolet technology
benzene measurement, workplace sampling and analysis, 50–54
UV-C spectrum, ultraviolet germicidal irradiation (UVGI), upper room air disinfection using, 219–227
uncertainty expression
high-efficiency particulate air (HEPA) filters, geometry effects on result uncertainty with in-filter testing, 300–308
upstream test parameters
pitot traverses, ideal conditions *vs.* downstream from obstruction, 166–173
uptake behavior
skin uptake of chloroform in hairless rats, systemic uptake *vs.* evaporation, 10–14
uranium enrichment plants
magnetic field exposures, mortality studies, 818–824
urea derivatives
isocyanate area sampling and analysis, workplace air, 202–206
urine monitoring
organophosphorus pesticides, agricultural workers exposure in apple orchards, 755–760
usage patterns
adjustable keyboard use and wrist posture, 340–348
finger electromyography, typing force and key-switch stiffness, 762–769
organic solvents, short-term indoor exposure, within-shift variability, 18–21

V

valeraldehyde
aldehydes, passive sampling for, diffusive sampler standard, 465–472
van Laar equations
water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 733–736
vapor analysis techniques
aldehydes, passive sampling for, 463–472
benzene measurement, workplace sampling and analysis, 50–54
gas emissions, helium tracer evaluation, 356–362

1,6-hexamethylene diisocyanate (HDI)-derived TRIG, vapor/aerosol sampling, 737–745
low vapor pressure compounds, permeation sampling, feasibility of, 195–199
methyl methacrylate (MMA) exposure in dental technicians, 626–628
nitrous oxide exposure, passive sampling and head space analysis, 459–461
oil mist concentration measurement, comparison of sampling methods, 687–689
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
water-miscible organic vapor adsorption on activated carbon, relative humidity effects, 730–736
Wheeler-Jonas model, vapor breakthrough times, humidity influence on adsorption capacity in activated carbon beds, 612–617
vapor-permeable protective clothing
physiological responses to, 495–500
variability in data
bioaerosol and fungal concentrations in bakeries, variabilities in, 317–325
magnetic field exposure, electric utility workers, within-day variability, 713–718
physiologically based pharmacokinetic modeling (PBPK) and toxicokinetics, biological monitoring with, 239–241
pulp and paper industry, occupation exposure studies, nonproduction departments, 76–82
variance components
magnetic field exposure, electric utility workers, measurement strategies, 713–718
velocity measurements
aldehydes, passive sampling for, 466–472
gas emissions, helium tracer evaluation, 355–362
pitot traverses, ideal conditions *vs.* downstream from obstruction, 165–173
velometers
metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
ventilation systems
material safety data sheets (MSDS) specifications, adequacy of, 377–383
metalworking fluids (MWF), leakage evaluation with tracer gas, 785–788
methyl methacrylate (MMA) exposure in dental technicians, 625–628
pitot traverses, ideal conditions *vs.* downstream from obstruction, 165–173
pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
power loss coefficients and static pressure ratios, experimental investigation of, 367–376
ultraviolet germicidal irradiation (UVGI), upper room air disinfection, device characterization, 219–227
wood processing, dust exposure studies, 641–645
vertical laminar airflow (VLAF)
fluorocarbon 113 monitoring in airflow clean rooms, 486–494
vibration analysis
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
whole-body vibration in locomotive engineers, 409–411
video display terminals (VDTs)
bites and itching in word processing departments, electrostatic emissions from, 314–315
electromagnetic radiation, active shielding devices for, 111–115
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 648–650
video imaging techniques
animal insecticide exposures, application studies, 208–211
review of exposure determinants, 67
vitreous fibers (synthetic)
indoor airborne levels, residential and commercial buildings, 794–799
NIOSH method 7400, A and B counting rules, exposure assessment with, 526–531
volatile organic compounds (VOCs)
coke oven emissions, exposure assessment of workers, 107–109
ventilation systems, MSDS specifications, adequacy of, 380–383
volatility parameters
bitumen fume exposure, laboratory design for study of, 183–190
voluntary compliance, environmental politics and, 587–588

W

Walter Reed Performance Assessment Battery (PAB)
respirator wear and exercise, cognitive performance and mood analysis with, 214–217
water-miscible compounds
organic vapor adsorption on activated carbon, relative humidity effects, 730–736
weighing procedures
borate compounds, occupational environments, measurement issues concerning, 651–658
fluid replacement preferences, heat-exposed workers, 747–750
lead-based paint (LBP) testing technologies, EPA/HUD field study, 450–451
weighing accuracy of IOM and CIS inhalable samplers, 235–236
welding procedures
thorium exposure in tungsten welding electrodes, 384–389
wet-bulb globe temperature (WBGT)
fluid replacement preferences, heat-exposed workers, 748–750
heat stress and strain in aluminum smelters, 659–665
physiological responses to PBVP protective clothing, 495–500
protective clothing, ice-cooling system, 96–103
Questemp II personal heat strain monitor, low-to-moderate heat stress, body temperature predictions, 801–806
respirator fit factor performance during sweating, 85–88
Wheeler-Jonas model
vapor breakthrough times, humidity influence on adsorption capacity, 612–617
Wisconsin Occupational Health Laboratory (WOHL)
dust wipe sampling guidelines, 326–332
women workers
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
woodchipping industry
wood processing, dust exposure studies, 641–645
wood processing
dust exposure studies, 641–645
work histories
secondary exposure misclassification, impact on occupational history studies, 175–181
work injuries
adjustable keyboard use and wrist posture, musculoskeletal disorders, 340–348
hand truck delivery operations, slips and falls, ergonomic evaluation of trucks and ramps, 22–31
work load
psychosocial work conditions and physical work load, male- and female-dominated occupations, 673–677
workplace environment
adjustable keyboard use and wrist posture, additional risk factors in, 343–348
bioaerosol and fungal concentrations in bakeries, variabilities in, 317–325
bites and itching in word processing departments, 310–315
coke oven emissions, exposure assessment of workers, 105–109
fluid replacement preferences, heat-exposed workers, 747–750
fluorocarbon 113 monitoring in airflow clean rooms, 486–494
isocyanate area sampling and analysis, workplace air, 200–206
organophosphorus pesticides, agricultural workers exposure in apple orchards, 752–760
personal exposure meters (PEMs), extremely low frequency (ELF) exposure, placement comparisons in exposure studies, 647–650
physiological responses to PBVP protective clothing, 495–500
pneumoconiosis in dental technicians, lung tissue mineralogy, 349–353
protective clothing, ice-cooling techniques, 99–103
psychosocial work conditions and physical work load, male- and female-dominated occupations, 674–677
pulp and paper industry, occupation exposure studies, nonproduction departments, 76–82
Questemp II personal heat strain monitor, low-to-moderate heat stress, body temperature predictions, 801–806
respirator fit factor performance during sweating, 84–88
respirator fit-test techniques, validation of actual exposure data in simulated environments, 363–366
secondary exposure misclassification, impact on occupational epidemiological studies, 175–181
tank truck drivers, gasoline vapor exposure during loading and unloading, 518–524
ventilation systems, material safety data sheets (MSDS) specifications, adequacy of, 377–383
wood processing, dust exposure studies, 641–645
workplace protection factors (WPFs)
respirators, assigned protection factor (APF), validity of, 428–431 (LTE)*
workplace protection factors (WPFs) respirator fit-test techniques, validation of actual exposure data in simulated environments, 366
work postures
animal health products, premixing and compounding processes, ergonomic analysis, 390–395
hand truck delivery operations, truck and ramp ergonomics, 22–31
whole-body vibration in locomotive engineers, 409–411
wrist posture and adjustable keyboard use, 340–348
work practices. *See* task analysis; work posture
Worksafe Australia
standards development for occupational exposure limits, 297 (LTE)*
World Health Organization (WHO)
European Reference Method, synthetic vitreous fibers exposure, NIOSH method 7400, A and B counting rules, comparison of, 526–531
heat stress and strain in aluminum smelters, 659–665
wrist motion
adjustable keyboard use and wrist posture, 340–348

X

X-ray diffraction analysis
crystalline silica measurement, analytical methods, review of, 396–401
silica variability, 533–538
X-ray fluorescence (XRF)
lead-based paint (LBP), testing technologies, EPA/HUD field study, 444–451